

***Consumer Data Warehouse
Data Dictionary***

***Effective 07/01/06
Version 1.7***

Table of Contents

ability_to_pay, column.....	5
accomm_for_handi, column.....	7
adm_ref_src, column.....	8
appoint_date.....	10
appoint_time	11
area_pgm_code, column	12
commit_status_ap, column.....	17
competency_status, column	18
cons_adm_date, column.....	19
cons_area_pgm_facility, column	22
cons_consumer_id, column.....	23
cons_county_reside, column.....	24
cons_date_of_birth, column.....	25
cons_dual_diagnosis, column	26
cons_error_code, column	27
cons_id_identifier, column.....	28
cons_last_served_date, column.....	30
cons_last_updt_date, column.....	31
cons_num_prior_adm, column.....	32
cons_patient_days, column	33
cons_respon_county, column.....	34
cons_status_date, column.....	36
consv_status, column	37
county_code, column	38
court_order_type, column	41
diag_end_date, column	42
diag_last_update_date, column.....	43
diag_start_date, column	44
diagv_axis_code, column.....	45
diagv_class, column.....	46
diagv_code_num, column	47
diagv_dsm_group, column.....	48
diagv_dsm_group_ver, column.....	56
diagv_ver_axis, column	57
diagv_ver_end_date, column	58
diagv_ver_start_date, column	59
disa_end_date, column.....	60
disa_fa_date_1, column	61
disa_fa_date_2, column	62
disa_fa_score_1, column.....	63
disa_fa_score_2, column.....	64
disa_last_updt_date, column.....	65
disa_start_date, column.....	66
disav_class, column	67
disav_code, column.....	68
disav_fa_scale, column	69
disav_loe, column	70
dischv_reason, column.....	71
dischv_ref_src, column.....	73
eap_code, column	74
education_level, column	75
employment_status, column.....	76
english_proficiency, column.....	77

ethnicity, column.....	78
federal_service_type, column	79
gender, column.....	80
identifier_type, column	81
institution_code, column.....	82
legal_charge_code, column.....	83
legal_status, column.....	84
legally_resp_person, column	85
living_arrang, column	86
loa_end_date, column	88
loa_last_updt_date, column	89
loa_start_date, column	90
loav_type, column.....	91
marital_status, column	92
meth_plan_ind, column.....	93
patient_type, column.....	94
primary_language, column.....	95
race, column.....	96
risk_admit_date, column.....	97
risk_last_updt_date, column	98
riskv_factor, column	99
sa_end_date, column.....	100
sa_last_update_date, column	101
sa_start_date, column.....	102
samo_end_date, column.....	103
samo_last_update_date, column	104
samo_start_date, column.....	105
sav_age_first_use, column.....	106
sav_drug_code, column	107
sav_drug_frequency, column.....	108
sav_drug_use_class, column.....	109
sav_drug_use_route, column	110
screen_county_resid.....	111
screen_medicaid_enrollment.....	112
screen_method	113
screen_pres_agedis_prob1	114
screen_pres_agedis_prob2	115
screen_pres_agedis_prob3	116
screen_time_begin	117
screen_time_end	118
serv_end_date, column	119
serv_last_updt_date, column.....	120
serv_start_date, column	121
service_code, column.....	122
spec_end_date, column.....	126
spec_last_updt_date, column	127
spec_start_date, column.....	128
specv_type, column.....	129
state_of_residence, column.....	131
thom_effective_date, column.....	133
thom_end_date, column	134
thom_last_updt_date, column	135
thomv_type, column.....	136
ufds_code, column	137
veteran_status, column.....	144

where_ref_after_triag.....	145
will_effective_date, column.....	146
will_end_date, column.....	147
will_last_updt_date, column	148
willv_status, column	149
zipcode, column	150

ability_to_pay, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	ability_to_pay		
Code:	ability_to_pay		
Label:	OPTIONAL		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

Ability of the client to pay for services, the purpose is to determine medical indigence.

M= can pay the minimum cost (also includes indigent, Medicaid)

P= can pay partial cost,

F= can pay full cost,

U= unknown.

Annotation

Data migration note:

New field, move an ' to initialize.

Post migration note:

If not sent in i.e. blanks, make target field 'U's

Validate against the 'ability to pay' table.

If field is valid move to target, else move 'O's.

access_timeline**NEW**

Table Code:	CDW_DICTIONARY		
Name:	access_timeline		
Code:	access_timeline		
Label:	MANDATORY		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

At time of client screening, the purpose is to determine urgency of need assessed.

E= Emergent Consumers with life threatening emergency must be seen within 2 hrs.
U= Urgent Consumers will be seen within 48 hours.
R= Routine Consumers must be provided with services within 7 days.

Annotation

accomm_for_handi, column**ADDITIONAL CODES ADDED**

Table Code:	CDW_DICTIONARY		
Name:	accomm_for_handi		
Code:	accomm_for_handi		
Label:	OPTIONAL		
Domain:			
Type:	char(2)		
Length:	2	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	2

Description

Accommodations needed for special needs.

Settings will appear as specified in the FN11.

- 01 Wheelchair/mobility needs
- 02 Interpreter (sign language)
- 03 Other
- 04 Childcare
- 05 Visually Impaired

Annotation

Data migration note:

No data available from the current IMS system. No migration will take place.

Post migration note:

If blanks are encountered insert 'U's into target,

If validity check fails against the 'accommodations for handicapped' table insert 'O's in target, else insert proper value.

adm_ref_src, column

Table Code:	CDW_DICTIONARY		
Name:	adm_ref_src		
Code:	adm_ref_src		
Label:	MANDATORY		
Domain:			
Type:	char(2)		
Length:	2	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	2

Description

The principle source that referred the client to the facility.

Admission Referral Source:

CDW	Desc.
1	Self/ no referral,
10	Family, friends.
21	Other outpatient and residential non-state facility.
22	State facility.
23	Psychiatric service, General hospital.
32	Non-residential treatment/habilitation prog.
41	Private physician.
44	Nursing home board and care.
46	Veteran's admin.
48	Other health care.
60	Community agency.
71	Court, corrections, prisons.
80	Schools.
99	Other.

Annotation

Data migration:

A/P	Desc.
1	Self.
10,11,12,73	Family, friends.
21,34,59,29	Other outpatient. Residential non-state facility.
22,26	State facility.
23,43	psychiatric service, General hospital.
32,45,35,33	Non-residential treatment/habilitation prog.
41,51,31	Private physician.
44,95	Nursing home board and care.
46,47	Veteran's admin.
48,49	Other health care.
60,92,93,96,91 94,61	Community agency.

71,82,83,70,84,
 74,87,75,64,65,
 66,67,68,72,69,
 86,85 Court,corrections, prisons.
 80 Schools.
 99 Other.

Institution	Desc.
A	Area program.
D	Schools.
F	In house transfer.
G	Emergency Room.
S	Self.
T	Family, friends.
I,N	Other outpatient.
	Residential non-state facility.
J	Criminal Justice.
K	Dept of Corrections.
M	HMO.
O	Other health care.
P	EAP (Employer Assistance Program).
U	Nursing facility.
V	VA Hospital.
X	Community agency.
Y	Private physician.
Z	Medical visit return.
0,1,2,3,8,H,Q,4 5,6,7,E,W,B,9,C	State facility.

Post migration:

If input value is blank, move a 'U' to the target field.

If the input is invalid move 'O' to the target field.

If input validates correctly against the 'referral source' table, move input to target field.

appoint_date**NEW**

Table Code:	CDW_DICTIONARY		
Name:	appoint_date		
Code:	appoint_date		
Label:	MANDATORY		
Domain:			
Type:	char(8)		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

At time of client screening, the appointment date is scheduled for the consumer to go see the provider **if** where referred after triage (data item 6) is (E) = Enhanced Benefits, (S) = State Operated Facility, or (R) = Crisis Services.

If the client refuses to schedule an appointment use the following: **99991231**

Annotation

appoint_time**NEW**

Table Code:	CDW_DICTIONARY		
Name:	appoint_time		
Code:	appoint_time		
Label:	MANDATORY		
Domain:			
Type:	char(4)		
Length:	4	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	4

Description

At time of client screening, the appointment time is scheduled for the consumer to go see the provider **if** where referred after triage (data item 6) is (E) = Enhanced Benefits, (S) = State Operated Facility, or (R) = Crisis Services.

The format is in military time, HHMM (0000-2359).

Annotation

area_pgm_code, column

Table Code:	CDW_DICTIONARY		
Name:	area_pgm_code		
Code:	area_pgm_code		
Label:	MANDATORY (Area Programs Only).		
Domain:	Apcode		
Type:	char(3)		
Length:	3	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	3

Description

Three-character code, alphanumeric, no special characters and nulls accepted, representing the location, which provides the service to the client. Mandatory for area programs.

Area Program Codes:

101	Smoky Mountain Area MH/DD/SAS
103	New River Area MH/DD/SAS
105	Foothills Area MH/DD/SAS
108	Pathways Area MH/DD/SAS
109	Catawba MH/DD/SAS
110	Mecklenburg MH/DD/SAS
112	Piedmont Area MH/DD/SAS
113	Western Highlands MH/DD/SAS
201	Crossroads Area MH/DD/SAS
202	Center Point Area MH/DD/SAS
203	Rockingham Area MH/DD/SAS
204	Guilford MH/DD/SAS
205	Alamance-Caswell MH/DD/SAS
206	O-P-C Area MH/DD/SAS
207	Durham Area MH/DD/SAS
208	Five County Mental Health Authority
303	Sandhills Area MH/DD/SAS
304	Southeastern Regional MH/DD/SAS
305	Cumberland Area MH/DD/SAS
307	Johnston MH/DD/SAS
308	Wake MH/DD/SAS
401	Southeastern Area MH/DD/SAS
402	Onslow Area MH/DD/SAS
403	EastPointe (Wayne) Area MH/DD/SAS
404	Wilson-Greene Area MH/DD/SAS
405	Edgecombe-Nash Area MH/DD/SAS
407	Neuse Area MH/DD/SAS
408	EastPointe (Lenoir, DS) MH/DD/SAS
409	Pitt Area MH/DD/SAS
410	Roanoke-Chowan Area MH/DD/SAS
411	Tideland Area MH/DD/SAS
412	Albemarle MH/DD/SAS

Annotation

Data migration note:

For area programs this is the first, third and fourth bytes of the facility code. Is not used in the institutions. For

institutions move an ' to the target field.

Post migration note:

All submitted area program codes will be the five-character facility code . The first, third and fourth bytes of the facility code will be validated against the 'area program table'. Invalid area program codes will cause the record to be rejected.

For institutions move an ' to the target field

area_pgms_end_date, column**Table Code:** CDW_DICTIONARY**Name:** area_pgm_end_date**Code:** area_pgm_end_date**Label:****Domain:****Type:** datetime**Length:** 8 **Precision:** 0**Null Values:** 0% **Distinct Values:** 100% **Average Length:** 8

area_pgms_last_updt_date, column

Table Code:	CDW_DICTIONARY		
Name:	area_pgm_last_updt_date		
Code:	area_pgm_last_updt_date		
Label:			
Domain:			
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

area_pgms_start_date, column

Table Code:	CDW_DICTIONARY		
Name:	area_pgm_start_date		
Code:	area_pgm_startt_date		
Label:			
Domain:			
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

commit_status_ap, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	commit_status_ap		
Code:	commit_status_ap		
Label:	OPTIONAL		
Domain:			
Type:	char(3)		
Length:	3	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	3

Description

Describes the outcome of screening or subsequent commitment status at admission and following admission.

Admission/Commitment Status:

CDW

001=Inpatient MH

002=Combination inpatient outpatient MH

003=Outpatient MH

004=Substance abuse

006=Reserved for potential corrections setting.

999=None.

Annotation

Data migration note:

For area programs use the crosswalk provided in the description section for this element.

Post processing note:

If the input field is not in the 'admission/commitment table' reject the record
else move the correct value to the target.

competency_status, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	competency_status		
Code:	competency_status		
Label:	OPTIONAL		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

This is a new field for the area programs, indicates if the client has been adjudicated incompetent.
The field values are as follows:

C=competent,
I=incompetent,
M=minor,
U=unknown.

Annotation

Data migration note:
Data not in current IMS system cannot convert.

Post migration note:
If input is blank, and client is an adult move 'U' to target,
if a child then move 'M' to target.
Verify the input against the 'competency status table'.
If not in the table move 'O' to target field.

cons_adm_commit_status, column

Table Code:	CDW_DICTIONARY		
Name:	cons_adm_commit_status		
Code:	cons_adm_commit_status		
Label:			
Domain:			
Type:	char(4)		
Length:	4	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	4

cons_adm_competence_status, column

Table Code:	CDW_DICTIONARY		
Name:	cons_adm_competency_status		
Code:	cons_adm_competency_status		
Label:			
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

cons_adm_date, column

Table Code:	CDW_DICTIONARY		
Name:	cons_adm_date		
Code:	cons_adm_date		
Label:	MANDATORY		
Domain:			
Type:	char(8)		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The month, day, and year which represents the date an individual is admitted to a facility. The date is in Sybase format 'ccyy-mm-dd'.

Annotation

Data migration note:

Post migration note:

Check to ensure the date is valid.

Reminder:

The admission date must be less than or equal the termination date.

cons_area_pgm_facility, column

Table Code:	CDW_DICTIONARY		
Name:	cons_area_pgm_facility		
Code:	cons_area_pgm_facility		
Label:	MANDATORY (Area Programs Only).		
Domain:			
Type:	char (5)		
Length:	5	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	5

Description

Only used in area programs. It is the area program facility code.

Annotation

Data migration note:

Conversion will take place from a 5 digit input field formerly known as the facility code.

Post migration:

No validation, straight move from input.

cons_consumer_id, column

Table Code:	CDW_DICTIONARY		
Name:	cons_consumer_id		
Code:	cons_consumer_id		
Label:	DERIVED (Internally Generated).		
Domain:	Identifier		
Type:	dec (9)		
Length:	9	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	9

Description

Internally generated consumer id used to link all CDW tables together and ensure that there is one consumer record per consumer. A nine character decimal field, no special characters and cannot be null.

Annotation

Data migration and post migration note:

A new number will be generated internally for each unique client record on the IMS client database.

cons_county_reside, column

Table Code:	CDW_DICTIONARY		
Name:	cons_county_reside		
Code:	cons_county_reside		
Label:	MANDATORY		
Domain:	County		
Type:	char (3)		
Length:	3	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	3

Description

The county in which the consumer (or his/her legally responsible persons, if an institutionalized client) resides (or resides prior to institutionalization or incarceration). The legal county of residence may differ from the current address.

Annotation

Data migration :

N/A this is a new field populate with ' .

Post migration :

If input value is blank, move a 'U' to the target field.

If the input is invalid move 'O' to the target field,

If input validates correctly against the 'county' table, move input to target field.

cons_date_of_birth, column

Table Code:	CDW_DICTIONARY		
Name:	cons_date_of_birth		
Code:	cons_date_of_birth		
Label:	MANDATORY		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The month, day, and year which represents the date an individual was born. The date is in relational format, yyyy-mm-dd.

Annotation

Post migration note:

Check to ensure the date is valid.

cons_dual_diagnosis, column

Table Code:	CDW_DICTIONARY		
Name:	cons_dual_diagnosis		
Code:	cons_dual_diagnosis		
Label:	DERIVED (Internally Generated).		
Domain:			
Type:	char(2)		
Length:	2	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	2

Description

Client with a diagnosis categorized into more than one disability group.

Annotation

Data migration note :
New field initialize to '.

Post migration note :
Data extracted from user input.

cons_error_code, column

Table Code:	CDW_DICTIONARY		
Name:	cons_error_code		
Code:	cons_error_code		
Label:	DERIVED (Internally Generated).		
Domain:			
Type:	char(5)		
Length:	5	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	5

Description

A code, which is determined by internal, CDW processing reflecting problems with building the consumer history row.

Annotation

Data migration note: not applicable.

Post migration note: To be determined.

cons_id_identifier, column

Table Code:	CDW_DICTIONARY		
Name:	cons_id_identifier		
Code:	cons_id_identifier		
Label:	MANDATORY		
Domain:	Link		
Type:	char(10)		
Length:	10	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	10

Description

CDW link to external data systems, this field can contain:

Unique-Id information to link to Thomas S or Willie M.
 SSN,
 DLN (Drivers License number),
 Medicaid,
 Medicare
 Client #.

The data is to be encrypted.

Annotation

Data migration note :

Client #	no edits,	
DLN	no edits,	
Medicaid #	no edits,	
Medicare #	no edits,	
SSN	9 bytes numeric,	
Unique id	1st three characters of last name	+
	1st character of 1st name	+
	6 character birth date,	+
	id if more than one record.	

Willie M, Thomas S and Client Unique-Id are the same values and only Unique-Id will be defined. In the case of an area program use client record as a search value. In the case of an institution use the client medical record number.

cons_id_last_update_date, column

Table Code:	CDW_DICTIONARY		
Name:	cons_id_last_update_date		
Code:	cons_id_last_update_date		
Label:	DERIVED (internally Generated)		
Domain:	Date		
Type:	datetime		
Length:	0	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	0

Description

Last date that this record was updated.

Annotation

Last date that this record was updated.

cons_last_served_date, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	cons_last_served_date		
Code:	cons_last_served_date		
Label:	OPTIONAL		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The date the client was last served, face-to-face, at this facility. The date is in relational format, yyyy-mm-dd.

Annotation

Data migration :

The admission date to be moved into this field.

For active clients only, move current date, else default.

Post migration :

Valid date, also the date must be greater than or equal current admission date.

cons_last_updt_date, column

Table Code:	CDW_DICTIONARY		
Name:	cons_last_updt_date		
Code:	cons_last_updt_date		
Label:	DERIVED (Internally Generated).		
Domain:	Date		
Type:	datetime		
Length:	0	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	0

Description

Last date that this record was updated.

Annotation

Last date that this record was updated.

cons_num_prior_adm, column

Table Code:	CDW_DICTIONARY		
Name:	cons_num_prior_adm		
Code:	cons_num_prior_adm		
Label:	DERIVED (Internally Generated).		
Domain:			
Type:	char(3)		
Length:	3	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	3

Description

The number of times the client was admitted for observation prior to this visit. This field does not have a validation table.

Annotation

Data migration note:

Will be calculated based on the admissions in the system.

Post migration note :

This field will be calculated, then updated in the database.

cons_patient_days, column

Table Code:	CDW_DICTIONARY		
Name:	cons_patient_days		
Code:	cons_patient_days		
Label:	DERIVED (Institutions Only).		
Domain:			
Type:	char(5)		
Length:	5	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	5

Description

The number of days a patient was in an institution not including leave days. This is derived only for an institution client. Mandatory for institutions.

Annotation

Data migration :

Will be set to zeros for area programs in data migration. Else use the formula below.

Post migration:

The derivation for that field is as follows:

Patient days = Current date - Admission date - SUM(LOA end date - LOA start date).

cons_respon_county, column

Table Code:	CDW_DICTIONARY		
Name:	cons_respon_county		
Code:	cons_respon_county		
Label:	REQUIRED (Institutions Only).		
Domain:	County		
Type:	char(3)		
Length:	3	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	3

Description

County which is financially responsible for consumer. May be different than the county of residence. This is a new field. See 'Validation county codes table for further info.

Annotation

Data migration :

N/A this is a new field populate with ' .

Post migration :

If input value is blank, move a 'U' to the target field.

If the input is invalid move 'O' to the target field,

If input validates correctly against the 'county ' table, move input to target field.

cons_scr_date, column**NEW**

Table Code:	CDW_DICTIONARY		
Name:	cons_scr_date		
Code:	cons_scr_date		
Label:	MANDATORY		
Domain:			
Type:	char(8)		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The date the client was screened for possible MH/DD/SS services. The date is in relational format, yyyy-mm-dd.
This is a new field for CDW.

Annotation

cons_status_date, column

Table Code:	CDW_DICTIONARY		
Name:	cons_status_date		
Code:	cons_status_date		
Label:	MANDATORY		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The date the status was applied to the client. This would be the Discharge Date for discharged/terminated clients etc. The date is in relational format, yyyy-mm-dd. This is a new field for CDW. Changes automatically when the status is defaulted.

Annotation

Data migration :

Field is derived based on the current 'CONSUMER STATUS' setting. It is the date in the FA or FB segment.

Post migration :

Must be a valid date and be within the guidelines of the 'CONSUMER STATUS' field. If status is active, date will be admission date, etc.

consv_status, column

Table Code:	CDW_DICTIONARY		
Name:	consv_status		
Code:	consv_status		
Label:	MANDATORY		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

The disposition of the client. This field is derived at admission and discharge/termination.

Annotation

Data migration:

IMS	CDW
-----	-----
a=active, default at admission,	a,
t=discharged/terminated,	t,
i=inactive(a/p's only),	i,
n=denied inst only,	n,
x=canceled,	x,
(insts only, when admission is cancelled)	
r=resident (institutions),	a,
l,o=on leave or out of building,	a.

New for CDW is the deleted admissions record, d

Post migration:

If input validates correctly against the 'status' table, move input to target field.
ELSE reject the record.

county_code, column

Table Code:	CDW_DICTIONARY		
Name:	county_code		
Code:	county_code		
Label:	MANDATORY		
Domain:	County		
Type:	char(3)		
Length:	3	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	3

Description

Valid county codes for the state of North Carolina.

County of residence:

UUU= Unknown
 OOS= Out of state.
 001= Alamance
 002= Alexander
 003= Alleghany
 004= Anson
 005= Ashe
 006= Avery
 007= Beaufort
 008= Bertie
 009= Bladen
 010= Brunswick
 011= Buncombe
 012= Burke
 013= Cabarrus
 014= Caldwell
 015= Camden
 016= Carteret
 017= Caswell
 018= Catawba
 019= Chatham
 020= Cherokee
 021= Chowan
 022= Clay
 023= Cleveland
 024= Columbus
 025= Craven
 026= Cumberland
 027= Currituck
 028= Dare
 029= Davidson
 030= Davie
 031= Duplin
 032= Durham
 033= Edgecombe
 034= Forsyth
 035= Franklin

036= Gaston
037= Gates
038= Graham
039= Granville
040= Greene
041= Guilford
042= Halifax
043= Harnett
044= Haywood
045= Henderson
046= Hertford
047= Hoke
048= Hyde
049= Iredell
050= Jackson
051= Johnston
052= Jones
053= Lee
054= Lenoir
055= Lincoln
056= McDowell
057= Macon
058= Madison
059= Martin
060= Mecklenburg
061= Mitchell
062= Montgomery
063= Moore
064= Nash
065= New Hanover
066= Northampton
067= Onslow
068= Orange
069= Pamlico
070= Pasquotank
071= Pender
072= Perquimans
073= Person
074= Pitt
075= Polk
076= Randolph
077= Richmond
078= Robeson
079= Rockingham
080= Rowan
081= Rutherford
082= Sampson
083= Scotland
084= Stanly
085= Stokes
086= Surry
087= Swain
088= Transylvania
089= Tyrrell
090= Union

091= Vance
092= Wake
093= Warren
094= Washington
095= Watauga
096= Wayne
097= Wilkes
098= Wilson
099= Yadkin
000= Yancey

Annotation

Data migration :

State value is unavailable from the current system. Validate the source field against the 'state table' . If valid move the county to the target field and 'NC' to state field. If ' ' move 'UU' to county target field and ' ' to state target field else move OS to county field and ' ' to state field.

Post migration:

Validate the input against the 'county code ' table. If input county is non-numeric and not blank, move in O/S.

court_order_type, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	court_order_type		
Code:	court_order_type		
Label:	OPTIONAL (Area Programs Only).		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

Designation of legal procedures which have been applied to a client and are in effect during the LOE assessment process. Mandatory for area programs.

CDW

7=Assessment evaluation,

8=Evaluation and treatment,

9=Treatment

0=None

Annotation

Data migration:

A/P

5=Assessment and evaluation,

6=Evaluation and treatment,

7=Treatment,

9=None

Post migration:

Verify the input against the 'court order type table'.

If not in the table reject record

else move input to target field.

If an institution then move an '*' to the target field.

diag_end_date, column

Table Code:	CDW_DICTIONARY		
Name:	diag_end_date		
Code:	diag_end_date		
Label:	OPTIONAL		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The date a facility has determined the diagnosis no longer pertains to the client. The date is in relational format, yyyy-mm-dd. Will default when an institution or area program terminates the client.

Annotation

Data migration :

Set field to blank or if available use termination date.

Post migration :

Update the target field with the termination date. Make sure date is valid.

diag_last_update_date, column

Table Code:	CDW_DICTIONARY		
Name:	diag_last_update_date		
Code:	diag_last_update_date		
Label:	DERIVED (Internally Generated).		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

Last date that this record was updated.

Annotation

Last date that this record was updated.

diag_start_date, column

Table Code:	CDW_DICTIONARY		
Name:	diag_start_date		
Code:	diag_start_date		
Label:	MANDATORY		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The date an individual is formally admitted to an area program for treatment of the specified diagnosis code described in this document or is assessed with this diagnosis. The date is in relational format, yyyy-mm-dd.

Annotation

Data and post migration :
Must be a valid date.

diagv_axis_code, column DISCONTINUE

Table Code:	CDW_DICTIONARY		
Name:	diagv_axis_code		
Code:	diagv_axis_code		
Label:	OPTIONAL (Area Program Only).		
Domain:	Type		
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description Axis codes refer to different classes of information as defined by DSM or ICD, including clinical syndromes, developmental and personality disorders, and physical disorders and conditions. Axis 1-3 are common diagnosis values and 4 is problem classifications.

Axis I = 1,
 Axis II = 2,
 Axis III = 3,
 Axis IV = 4.

This is a one character alphanumeric field, no special characters allowed.

Diagnosis/axis specs for institution/CDW diagnosis crosswalk:

When we get diagnoses from the HEARTS system, this is how to generate an axis code and determine their group.

1. Any code in-group 1 is Axis 1 and DSM
2. Any code in-group 2 is Axis 2 and DSM
3. Codes in-group 3 are exception codes (there are about 10 of them) - each individual code has a special rule. TBD by user).
4. Codes in-group 4 are outside the DSM4 range - THESE MAY BE OBSOLETE, TBD
5. All other codes are Axis 3 - ICD9 codes.

Annotation

Data migration :

If the axis is blank, indicating old data, set the axis indicator to 1.

If the axis code is 1,2,3 move source code to target.

If the axis is 4 or 5 then don't write a CDW diagnosis record.

Post migration :

If axis code is not in the 'axis code' table reject record,
 else move valid value to target.

Institutions:

Based on diagnosis code,

if code w/i set 1 then axis I,

if code w/i set 2 then axis II,

if code w/i set 3 then axis III,

if code w/i set 4 then axis I or II.

diagv_class, column**NEW CODING SCHEME**

Table Code:

CDW_DICTIONARY

Name: diagv_class**Code:** diagv_class**Label:** MANDATORY**Domain:** Type**Type:** char(1)**Length:** 1 **Precision:** 0**Null Values:** 0% **Distinct Values:** 100% **Average Length:** 1**Description**

Designation of the type of diagnosis i.e. Order of Importance : 1-9, A-Z

This is a 1-character field and is alphanumeric, no special characters allowed.

CDW

1 = P=initial diagnosis upon admission,
2-6 R=main focus of attention or treatment (may be the same code as the principal
diagnosis)
7 OR GREATER A=other diagnosis pertinent to the clients' treatment.

Annotation

diagv_code_num, column

Table Code:	CDW_DICTIONARY		
Name:	diagv_code_num		
Code:	diagv_code_num		
Label:	MANDATORY		
Domain:			
Type:	char(5)		
Length:	5	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	5

Description

A code describing the condition established after screening and assessment, to be chiefly responsible for occasioning the admission of a client. The code is used for both area programs and institutions. It is alphanumeric and cannot contain special characters. Effective 07/01/2004 the coding scheme changed from DMS-IV to ICD-9 for Area Program clients. ICD-9 has been in use at the institutions for some time.

See link for further information (www.outreachexpress.com/gbmc/icd9/).

diagv_dsm_group, column

Table Code:	CDW_DICTIONARY		
Name:	diagv_dsm_group		
Code:	diagv_dsm_group		
Label:	MANDATORY DERIVED		
Domain:			
Type:	char(2)		
Length:	2	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	2

Description

This field is derived from a combination of the diagnosis code, axis code, and diagnosis version.

Internal Use only.

Annotation

Data migration note : If the client status is 'A' for active and the discharge date is greater than Jan 1, 1997 or the admission date is greater than Jan 1, 1997, than use the DSM4 codes to determine diagnostic groupings. Else move the diagnostic code from the diagnostic segment and move a blank to the diagnostic group field.

Below are the date ranges, which will determine which DSM code, set to use based on the fiscal year.

DSM2 CODES---

IF DIAGNOSIS-CODE = 310 THRU 31599, 31904
DIAGNOSTIC-GROUP = 01

IF DIAGNOSIS-CODE = 308 THRU 30899
DIAGNOSTIC-GROUP = 02

IF DIAGNOSIS-CODE = 306 THRU 30699
DIAGNOSTIC-GROUP = 03

IF DIAGNOSIS-CODE = 290 THRU 29099, 292 THRU 29429, 2944 THRU 29499
309 THRU 30912, 30915 THRU 30999
DIAGNOSTIC-GROUP = 04

IF DIAGNOSIS-CODE = 2943 THRU 29439, 304 THRU 30499, 30914, 31903
DIAGNOSTIC-GROUP = 05

IF DIAGNOSIS-CODE = 291 THRU 29199, 303 THRU 30399, 30913, 31902
DIAGNOSTIC-GROUP = 06

IF DIAGNOSIS-CODE = 295 THRU 29599
DIAGNOSTIC-GROUP = 07

IF DIAGNOSIS-CODE = 297 THRU 29799, 29810 THRU 29999
DIAGNOSTIC-GROUP = 08

IF DIAGNOSIS-CODE = 296 THRU 29699, 298 THRU 29800, 3004 THRU 30049

DIAGNOSTIC-GROUP = 09

IF DIAGNOSIS-CODE = 300 THRU 30099
DIAGNOSTIC-GROUP = 10

IF DIAGNOSIS-CODE = 301 THRU 30299
DIAGNOSTIC-GROUP = 11

IF DIAGNOSIS-CODE = 307 THRU 30799
DIAGNOSTIC-GROUP = 12

IF DIAGNOSIS-CODE = 305 THRU 30599
DIAGNOSTIC-GROUP = 13

IF DIAGNOSIS-CODE = 3189 THRU 31899
DIAGNOSTIC-GROUP = 14

IF DIAGNOSIS-CODE = 319 THRU 31901,31906 THRU 31999
DIAGNOSTIC-GROUP = 15

IF DIAGNOSIS-CODE = BLANK VALUE
DIAGNOSTIC-GROUP = 16

ALL OTHER DIAGNOSIS CODES
DIAGNOSTIC-GROUP = 17

DSM3 CODES--

IF DIAGNOSIS-CODE = 317 THRU 31999
DIAGNOSTIC-GROUP = 01

IF DIAGNOSIS-CODE = 314 THRU 31499
DIAGNOSTIC-GROUP = 02

IF DIAGNOSIS-CODE = 3120 THRU 31229 ,3129 ,31299
DIAGNOSTIC-GROUP = 03

IF DIAGNOSIS-CODE = 307 THRU 30779 ,3079 THRU 30799
DIAGNOSTIC-GROUP = 04

IF DIAGNOSIS-CODE = 30921,3130 , THRU 31321
DIAGNOSTIC-GROUP = 05

IF DIAGNOSIS-CODE = 299 ,29999
DIAGNOSTIC-GROUP = 06

IF DIAGNOSIS-CODE = 315 ,31599
DIAGNOSTIC-GROUP = 07

IF DIAGNOSIS-CODE = 31322,31323,3138 THRU 31389
DIAGNOSTIC-GROUP = 08

IF DIAGNOSIS-CODE = 290 THRU ,29039,2905 THRU ,29099
DIAGNOSTIC-GROUP = 09

IF DIAGNOSIS-CODE = 2904 THRU ,29049
DIAGNOSTIC-GROUP = 10

IF DIAGNOSIS-CODE = 292 THRU 29299, 304 THRU 30499, 305 , 3051 ,
THRU 30599, 327 THRU 32899
DIAGNOSTIC-GROUP = 11

IF DIAGNOSIS-CODE = 3039 THRU 30399, 3050 THRU 30509
DIAGNOSTIC-GROUP = 12

IF DIAGNOSIS-CODE = 291 THRU 29199, 3030 THRU 30309
DIAGNOSTIC-GROUP = 13

IF DIAGNOSIS-CODE = 293 THRU 29399,294 THRU 29499,310 THRU 31099
DIAGNOSTIC-GROUP = 14

IF DIAGNOSIS-CODE = 295 THRU 29539,2955 THRU 29569,2958 THRU 29599
DIAGNOSTIC-GROUP = 15

IF DIAGNOSIS-CODE = 2954 THRU 29549
DIAGNOSTIC-GROUP = 16

IF DIAGNOSIS-CODE = 2957 THRU 29579
DIAGNOSTIC-GROUP = 17

IF DIAGNOSIS-CODE = 297 THRU 29799, 2983 THRU 29839
DIAGNOSTIC-GROUP = 18

IF DIAGNOSIS-CODE = 2988 THRU 29889,2989 THRU 29899
DIAGNOSTIC-GROUP = 19

IF DIAGNOSIS-CODE = 2964 THRU 29679,30113
DIAGNOSTIC-GROUP = 20

IF DIAGNOSIS-CODE = 2962 THRU 29639
DIAGNOSTIC-GROUP = 21

IF DIAGNOSIS-CODE = 3004 THRU 30049
DIAGNOSTIC-GROUP = 22

IF DIAGNOSIS-CODE = 3000 THRU 30002,3002 THRU 30039,30981,3083 THRU 30839
DIAGNOSTIC-GROUP = 23

IF DIAGNOSIS-CODE = 30011,3007 THRU 30089, 3078 THRU 30789
DIAGNOSTIC-GROUP = 24

IF DIAGNOSIS-CODE = 30012 THRU 30015,30060
DIAGNOSTIC-GROUP = 25

IF DIAGNOSIS-CODE = 302 ,30299,30651
DIAGNOSTIC-GROUP = 26

IF DIAGNOSIS-CODE = 30016,30019,301 THRU ,30112,30114 THRU
30199,3123 THRU 31239
DIAGNOSTIC-GROUP = 27

IF DIAGNOSIS-CODE = 309 THRU 30920,30922,30924 THRU 30980,30982 THRU,30999
DIAGNOSTIC-GROUP = 28

IF DIAGNOSIS-CODE = V7109
DIAGNOSTIC-GROUP = 29

IF DIAGNOSIS-CODE = V THRU V7108,V711 THRU V9999
DIAGNOSTIC-GROUP = 30

IF DIAGNOSIS-CODE = 7999 THRU 79999
DIAGNOSTIC-GROUP = 31

IF DIAGNOSIS-CODE = 3009 THRU 30099,316 THRU 31699
DIAGNOSTIC-GROUP = 32

IF DIAGNOSIS-CODE = BLANK VALUE
DIAGNOSTIC-GROUP = 33

ALL OTHER DIAGNOSIS CODES
DIAGNOSTIC-GROUP = 34

DSM3R CODES--

IF DIAGNOSIS-CODE = 31700,31800,31810,31820,31900
DIAGNOSTIC-GROUP = 01

IF DIAGNOSIS-CODE = 31400,31401
DIAGNOSTIC-GROUP = 02

IF DIAGNOSIS-CODE = 31200,31220,31290
DIAGNOSTIC-GROUP = 03

IF DIAGNOSIS-CODE = 30700,30710,30720,30721,30722,30723,30730,30750
30751,30752,30753,30760,30770
DIAGNOSTIC-GROUP = 04

IF DIAGNOSIS-CODE = 30921,31300,31321
DIAGNOSTIC-GROUP = 05

IF DIAGNOSIS-CODE = 29900,29980
DIAGNOSTIC-GROUP = 06

IF DIAGNOSIS-CODE = 31500,31510,31531,31539,31540,31580,31590
DIAGNOSTIC-GROUP = 07

IF DIAGNOSIS-CODE = 31323,31381,31382,31389
DIAGNOSTIC-GROUP = 08

IF DIAGNOSIS-CODE = 29000,29010,29011,29012,29013,29020,29021,29030
DIAGNOSTIC-GROUP = 09

IF DIAGNOSIS-CODE = 29040,29041,29042,29043
DIAGNOSTIC-GROUP = 10

IF DIAGNOSIS-CODE = 29200,29211,29212,29281,29282,29283,29284,29289,29290
30400,30410,30420,30430,30440,30450,30460,30490
30510,30520,30530,30540,30550,30560,30570,30590
DIAGNOSTIC-GROUP = 11

IF DIAGNOSIS-CODE = 30390,30500
DIAGNOSTIC-GROUP = 12

IF DIAGNOSIS-CODE = 29100,29110,29120,29130,29140,29180,30300
DIAGNOSTIC-GROUP = 13

IF DIAGNOSIS-CODE = 29300,29381,29382,29383,29400,29410,29480,31010
DIAGNOSTIC-GROUP = 14

IF DIAGNOSIS-CODE = 29510,29511,29512,29513,29514,29515,29520,29521,29522
29523,29524,29525,29530,29531,29532,29533,29534,29535
29560,29561,29562,29565,29590,29591,29592,29593,29594
29595
DIAGNOSTIC-GROUP = 15

IF DIAGNOSIS-CODE = 29540
DIAGNOSTIC-GROUP = 16

IF DIAGNOSIS-CODE = 29570
DIAGNOSTIC-GROUP = 17

IF DIAGNOSIS-CODE = 29710
DIAGNOSTIC-GROUP = 18

IF DIAGNOSIS-CODE = 29730,29880,29890
DIAGNOSTIC-GROUP = 19

IF DIAGNOSIS-CODE = 29640,29641,29642,29643,29644,29645,29646,29650,29651
29652,29653,29654,29655,29656,29660,29661,29662,29663
29664,29665,29666,29670,30113
DIAGNOSTIC-GROUP = 20

IF DIAGNOSIS-CODE = 29620,29621,29622,29623,29624,29625,29626,29630,29631
29632,29633,29634,29635,29636,31100
DIAGNOSTIC-GROUP = 21

IF DIAGNOSIS-CODE = 30040
DIAGNOSTIC-GROUP = 22

IF DIAGNOSIS-CODE = 30000,30001,30002,30021,30022,30023,30029,30030,30989
DIAGNOSTIC-GROUP = 23

IF DIAGNOSIS-CODE = 30011,30070,30081,30780
DIAGNOSTIC-GROUP = 24

IF DIAGNOSIS-CODE = 30012-30013,30014,30015,30060

DIAGNOSTIC-GROUP = 25

IF DIAGNOSIS-CODE = 30220,30230,30240,30250,30260,30270,30271,30272,30273
30274,30275,30276,30279,30281,30282,30283,30284,30285
30289,30290,30651

DIAGNOSTIC-GROUP = 26

IF DIAGNOSIS-CODE = 30016,30019,30100,30120,30122,30140,30150,30151,30160
30182,30183,30184,30190,31231,31232,31233

IF DIAGNOSIS-CODE = 31234,31239
DIAGNOSTIC-GROUP = 27

IF DIAGNOSIS-CODE = 30900,30923,30924,30928,30930,30940,30982,30983,30990
DIAGNOSTIC-GROUP = 28

IF DIAGNOSIS-CODE = V7109
DIAGNOSTIC-GROUP = 29

IF DIAGNOSIS-CODE = V1581,V4000,V6110,V6120,V6180,V6220,V6230,V6281,V6282
V6289V6520,V7101,V7102
DIAGNOSTIC-GROUP = 30

IF DIAGNOSIS-CODE = 79990
DIAGNOSTIC-GROUP = 31

IF DIAGNOSIS-CODE = 30090,31600
DIAGNOSTIC-GROUP = 32

IF DIAGNOSIS-CODE = BLANK VALUE
DIAGNOSTIC-GROUP = 33

IF DIAGNOSIS-CODE = 30740,30742,30744,30745,30746,30747,78050,78054
DIAGNOSTIC-GROUP = 35

ALL OTHER DIAGNOSIS CODES
DIAGNOSTIC-GROUP = 34

DSM4--

IF DIAGNOSIS-CODE = 31700-31999
DIAGNOSIS GROUP = 01

IF DIAGNOSIS-CODE = 31400-31499
DIAGNOSIS GROUP = 02

IF DIAGNOSIS-CODE = 31280-31289,31290-31299,31381
DIAGNOSIS GROUP = 03

IF DIAGNOSIS-CODE = 29900-29999
DIAGNOSIS GROUP = 04

IF DIAGNOSIS-CODE = 31500-31539,31550-31599
DIAGNOSIS GROUP = 05

IF DIAGNOSIS-CODE = 30700-30709,30720-30723,30730-30739,30752-30759
30760-30779,30790-30799,31323,31389
31390-31399,31540-31549,78760-78769
DIAGNOSIS GROUP = 06

IF DIAGNOSIS-CODE = 30710-30719,30740-30749,30750-30751,34700-34799
78052-78059
DIAGNOSIS GROUP = 07

IF DIAGNOSIS-CODE = 33210-33219,33300-33399,99520-99529
DIAGNOSIS GROUP = 08

IF DIAGNOSIS-CODE = 29000,29011-29039,29050-29099
DIAGNOSIS GROUP = 09

IF DIAGNOSIS-CODE = 29040-29049
DIAGNOSIS GROUP = 10

IF DIAGNOSIS-CODE = 29200-29299,30400-30499,30500,30510-30599
DIAGNOSIS GROUP = 11

IF DIAGNOSIS-CODE = 30390-30399,30500-30509
DIAGNOSIS GROUP = 12

IF DIAGNOSIS-CODE = 29100-29199,30300-30309
DIAGNOSIS GROUP = 13

IF DIAGNOSIS-CODE = 29010,29300-29389,29400-29499,31000-31099,78009
DIAGNOSIS GROUP = 14

IF DIAGNOSIS-CODE = 29500-29539,29550-29569,29580-29599
DIAGNOSIS GROUP = 15

IF DIAGNOSIS-CODE = 29540-29549
DIAGNOSIS GROUP = 16

IF DIAGNOSIS-CODE = 29570-29579
DIAGNOSIS GROUP = 17

IF DIAGNOSIS-CODE = 29700-29799
DIAGNOSIS GROUP = 18

IF DIAGNOSIS-CODE = 29800-29899
DIAGNOSIS GROUP = 19

IF DIAGNOSIS-CODE = 29600-29606,29640-29689,30113
DIAGNOSIS GROUP = 20

IF DIAGNOSIS-CODE = 29620-29629,29630-29639,31100-31199
DIAGNOSIS GROUP = 21

IF DIAGNOSIS-CODE = 30040-30049

DIAGNOSIS GROUP = 22

IF DIAGNOSIS-CODE = 30000-30002,30020-30029,30030-30039,30830-30389
30921,30981

DIAGNOSIS GROUP = 23

IF DIAGNOSIS-CODE = 30011,30016,30019,30070-30079,30080-30089
30780-30789

DIAGNOSIS GROUP = 24

IF DIAGNOSIS-CODE = 30012-30015,30060-30069
DIAGNOSIS GROUP = 25

IF DIAGNOSIS-CODE = 30200-30299,30651,60784,60889,62500-62589
DIAGNOSIS GROUP = 26

IF DIAGNOSIS-CODE = 30100-30112,30114-30199,31230-31239
DIAGNOSIS GROUP = 27

IF DIAGNOSIS-CODE = 30900-30920,30922-30980,30982-30999
DIAGNOSIS GROUP = 28

IF DIAGNOSIS-CODE = 29390-29399,29690,30090-30099,31010-31019
31600-31699
DIAGNOSIS GROUP = 29

IF DIAGNOSIS-CODE = V1581,V6110-V6119,V6120,V6121,V6220-V6229
DIAGNOSIS GROUP = 30

IF DIAGNOSIS-CODE = V6230-V6239,V6240-V6249,V6281,V6282,V6289
V6520-V6529,V7101,V7102,31382,78090-78099
99550-99581
DIAGNOSIS GROUP = 30

IF DIAGNOSIS-CODE = V7109
DIAGNOSIS GROUP = 31

IF DIAGNOSIS-CODE = 79990-79999
DIAGNOSIS GROUP = 32

IF DIAGNOSIS-CODE = BLANK SPACE
DIAGNOSIS GROUP = 33

ALL OTHER CODES
DIAGNOSIS GROUP = 34

Post migration note: To be determined.

diagv_dsm_group_ver, column

Table Code:	CDW_DICTIONARY		
Name:	diagv_dsm_group_ver		
Code:	diagv_dsm_group_ver		
Label:	DERIVED (Internally Generated).		
Domain:			
Type:	char(6)		
Length:	6	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	6

Description

Reflects the ICD-9 group that the client's diagnosis was placed in. Based on code groupings from SAMHSA. Internally derived variable.

Annotation

Data migration note:

Versions available from the IMS database are, DSM2, DSM3, DSM3R, DSM4.

Post migration note:

Versions available will be ICD-9.

diagv_ver_axis, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	diagv_ver_axis		
Code:	diagv_ver_axis		
Label:			
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

See Diagnosis axis code table for information.

Annotation

See Diagnosis axis code table for information.

diagv_ver_end_date, column

Table Code:	CDW_DICTIONARY		
Name:	diagv_ver_end_date		
Code:	diagv_ver_end_date		
Label:	DERIVED (Internally Generated).		
Domain:			
Type:	datetime		
Length:	0	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	0

Description

Describes the specific fiscal year ranges that certain diagnostic codes apply to specific diagnostic groupings.

Annotation

Data migration note: If the client status is 'A' for active and the discharge date is greater than Jan 1, 1997 or the admission date is greater than Jan 1, 1997, than use the DSM4 codes to determine diagnostic groupings. Else move the diagnostic code from the diagnostic segment and move a blank to the diagnostic group field.

Post migration note: To be determined.

diagv_ver_start_date, column

Table Code:	CDW_DICTIONARY		
Name:	diagv_ver_start_date		
Code:	diagv_ver_start_date		
Label:	DERIVED (Internally Generated).I		
Domain:			
Type:	datetime		
Length:	0	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	0

Description

Describes the specific fiscal year ranges that certain diagnostic codes apply to specific diagnostic groupings.

Annotation

Data migration note: If the client status is 'A' for active and the discharge date is greater than Jan 1, 1997 or the admission date is greater than Jan 1, 1997, than use the DSM4 codes to determine diagnostic groupings. Else move the diagnostic code from the diagnostic segment and move a blank to the diagnostic group field.

Post migration note: To be determined.

disa_end_date, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	disa_end_date		
Code:	disa_end_date		
Label:	OPTIONAL (Area Programs Only).		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The month, day, and year that a client ends treatment for the disability. The date is in relational format, yyyy-mm-dd.

Annotation

Data migration note:

Move FBDISCH date to the target field.

Post migration note:

Ensure a valid date is provided.

disa_fa_date_1, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	disa_fa_date_1		
Code:	disa_fa_date_1		
Label:	MANDATORY if record is sent (Area Programs Only).		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The month, day, and year that a client took the functional assessment test. The date is in relational format, yyyy-mm-dd

Annotation

Data migration :

Move LOE date from the IMS database. If none exists move in blanks.

Post migration:

Must be a valid date.

All three 'functional assessment' fields must be submitted on the input.

disa_fa_date_2, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	disa_fa_date_2		
Code:	disa_fa_date_2		
Label:			
Domain:			
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The month, day, and year that a client took the functional assessment test. The date is in relational format, yyyy-mm-dd

Annotation

Data migration :

Move LOE date from the IMS database. If none exists move in blanks.

Post migration:

Must be a valid date.

All three 'functional assessment' fields must be submitted on the input.

disa_fa_score_1, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	disa_fa_score_1		
Code:	disa_fa_score_1		
Label:	MANDATORY if record is sent (Area Programs Only).		
Domain:			
Type:	integer		
Length:	3	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	3

Description

Three digit score as entered by the attending clinician. This is a raw score attained following the assessment conducted for a client. Score ranges vary depending upon the instrument.

Valid NCFAS scores are 000-180,

Valid ESI scores are 000-007,

Valid GAF scores are 000-100.

Valid NCSNAP scores as reported to the CDW are 111-555 (this score is based on reporting the score from each domain (Daily Living, Health Care and Behavioral) Valid scores are any combination of three numbers of 1-5. Examples: 123, 555, 234, 413, 232

Note: ' ' is a valid score meaning 'no score submitted'.

Annotation

Data migration :

Move field as is from input.

Post migration :

All three 'functional assessment' fields must be submitted on the input.

On diagnosis record, if axis 5, put value in diagnosis code in this field.

disa_fa_score_2, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	disa_fa_score_2		
Code:	disa_fa_score_2		
Label:			
Domain:			
Type:	integer		
Length:	3	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	3

Description

Three digit score as entered by the attending clinician. This is a raw score attained following the assessment conducted for a client. Score ranges vary depending upon the instrument.

Valid NCFAS scores are 000-180,
Valid ESI scores are 000-007,
Valid GAF scores are 000-100.

Valid NCSNAP scores as reported to the CDW are 111-555 (this score is based on reporting the score from each domain (Daily Living, Health Care and Behavioral) Valid scores are any combination of three numbers of 1-5. Examples: 123, 555, 234, 413, 232

Note: ' ' is a valid score meaning 'no score submitted'.

Annotation

Data migration :
Move field as is from input.

Post migration :
All three 'functional assessment' fields must be submitted on the input.
On diagnosis record, if axis 5, put value in diagnosis code in this field.

disa_last_updt_date, column

Table Code:	CDW_DICTIONARY		
Name:	disa_last_updt_date		
Code:	disa_last_updt_date		
Label:	DERIVED (Area Programs Only).		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

Last date that this record was updated.

Annotation

Last date that this record was updated.

disa_start_date, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	disa_start_date		
Code:	disa_start_date		
Label:	MANDATORY if record is sent (Area Programs Only).		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The month, day, and year that a client starts treatment for the disability. The date is in relational format, yyyy-mm-dd

Annotation

Data migration :

Move the LOE date to the target.

Post migration :

Require a valid date.

disav_class, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	disav_class		
Code:	disav_class		
Label:	MANDATORY if record is sent (Area Programs Only).		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

Area programs only. A consumers problem areas designated as main and other.
The codes are as follows:

P=primary,
A=additional.

Annotation

Data migration :

If primary disability, set target to 'P' ,
If other disability 1, set target to 'A',
If other disability 2, set target to 'A'.
else reject the input record.

Post migration :

If neither an 'P' nor an 'A' type, reject the input record,
else move to the target field.

disav_code, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	disav_code		
Code:	disav_code		
Label:	MANDATORY if record is sent (Area Programs Only).		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

Area programs only. A one digit disability group which represents the clients problem area.

1=Mental health,
2=Substance abuse,
3=Developmental disability,
4=Funded MR/MI

Annotation

Data migration note :
Process a code of blank as U, unknown.

Post migration :
If the input value cannot validate in the 'disability codes' table reject the record,
else move the input record to the target.

disav_fa_scale, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	disav_fa_scale		
Code:	disav_fa_scale		
Label:	MANDATORY if record is sent (Area Programs Only).		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

The instrument with which the client was tested.

1=CAFAS (child),

2=NCFAS (adult),

3=GAF

4=ESI-R

5=NC-SNAP

6=ASAM

9=Not applicable.

This is a new field.

Annotation

Note:

CAFAS is only used for Mental Health and Substance Abuse Children.

IF LEAGE=1 AND LEPRIMDIS=1 OR LEPRIMDIS=2

NCFAS is only used for Mental Health and Substance Abuse Adults.

IF LEAGE=2 AND LEPRIMDIS=1 OR LEPRIMDIS=2

ESR-I is only used for Developmentally Disabled Adults.

IF LEAGE=2 AND LEPRIMDIS=3

NC-SNAP is used for Developmentally Disabled Adults, Developmentally Disabled Children age 3-18, Developmentally Disabled Children 0-3 if waiting for or is a CAP/MR-DD Waiver recipient, and for Adults with Mental Retardation and Mental Illness (MR/MI)

NCFAS may also be used for MR/MI Adults in addition to the NC-SNAP

ASAM may be used for Adolescent and Adult Substance Abuse Clients. The Patient Placement Criteria for the Treatment of Substance-Related Disorders of the American Society of Addiction Medicine (ASAM PPC) (Adult Criteria) and Adolescent Criteria) establishes levels of services for substance abuse patients ranging from early intervention to outpatient services to medically-managed intensive care. Each level of care or service describes a range of resources available to be applied within a given period of time to addiction and related problems.

Post migration :

All three 'functional assessment' fields must be submitted on the input.

On diagnosis record, if axis 5 put 3 in this field. in functional assessment date put the diagnosis date , for axis 5.

disav_loe, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	disav_loe		
Code:	disav_loe		
Label:	MANDATORY if record is sent (Area Programs Only).		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

A classification scheme used to distinguish clients on a basis of comparative degrees of disability. Also known as level of eligibility impairment. This field is for area programs only and is captured for every disability.

Note a value of 5 is only valid if the NC-SNAP assessment tool was used.

Annotation

Data migration:

LOE values:

1= level I (severe),
 2= level II (moderate),
 3= level III (mild),
 4= level IV (at risk),
 9= no impairment,
 'U'= unknown.

NC-SNAP values:

1
 2
 3
 4
 5

ASAM values:

H= Level 0.5 Early Intervention

1= Level I Outpatient Services

2= Level II Intensive Outpatient/Partial Hospitalization Services

3= Level III Residential/Inpatient Services

4= Level IV Medically-Managed Intensive Inpatient Services

Post migration:

If the input data does not validate in the 'level of eligibility' table then reject the record.

dischv_reason, column

Table Code:	CDW_DICTIONARY		
Name:	dischv_reason		
Code:	dischv_reason		
Label:	MANDATORY		
Domain:			
Type:	char (1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

The reason the client was discharged from the facility.
 The reason codes are as follows: Mandatory if 'CONSUMER STATUS' = 'T'.

Area Programs:

1=death,
 2=eval complete,
 3=treatment comp,
 4=client not avail,
 5=refused treatment,
 6=no show,
 7=service not available,
 8=other,
 9=unknown.

HEARTS (Institutions Only)

AA=Against Medical Advice Discharge (AMA)
 AM=Death with Autopsy-Medical Examiner
 BP=Behavior Problem Discharge
 DA=Direct with Approval
 DC=Direct by Court Order
 DE=Death without Autopsy
 DI=Direct Discharge to Inpatient Commitment
 DL=Death While on Leave or Visiting Patient
 DM=Direct Discharge to Medical Visit
 DO=Direct to Outpatient Commitment
 DS=Direct to Substance Abuse Commitment
 DV=Direct Discharge of Visiting Patient
 DW=Death with Autopsy
 IA=Indirect to Substance Abuse Commitment
 IC=Transfer to Intermediate Care Facility (ICF) Bed Inhouse
 ID=Indirect Discharge from Medical Visit (Dix only)
 IL=Indirect Discharge from Leave
 IM=Transfer to Intermediate Care Facility/Mental Retardation (ICF/MR) Bed in House
 IO=Indirect to Outpatient Commitment
 IS=Indirect Split Commitment
 IT=Internal Transfer – To Med/Surg Bed
 IV=Indirect Discharge of Visiting Patient
 PC=Program Completion (Client has completed Assigned Program) ADATC only
 PD=Psychiatric Observation
 PS=Transfer to Psychiatric Bed In-house

SN=Transfer to Skilled Nursing Facility (SNF) Bed In house
SO=72 Hour request for Discharge (Client has decided to leave) ADATCs only
ST=Staffed Out (Client staffed out for other than behavioral/discipline reasons)
TX=Permanent Transfer Out to Other State Facility
VP=Visiting Patient Out to Sending Facility
WM=Death without Autopsy – Medical Examiner

Annotation

Data migration :

If discharged,

If input validates correctly against the 'discharge reason' table, move input to target field. Else reject the input record.

If not a discharge move an ' to the target. Data not available from the IMS system for institutions.

Post migration :

Validate against table.

Hearts will require a crosswalk to be added later.

dischv_ref_src, column

Table Code:	CDW_DICTIONARY		
Name:	dischv_ref_src		
Code:	dischv_ref_src		
Label:	MANDATORY		
Domain:			
Type:	char(2)		
Length:	2	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	2

Description

The person or agency to which the client was referred at discharge.
Same as 'Consumer admission referral source' . Mandatory if 'CONSUMER STATUS' = 'T'.

Annotation

Data migration :
Same as 'Consumer admission referral source' .

Post migration :
Same as 'Consumer admission referral source' .

eap_code, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	eap_code		
Code:	eap_code		
Label:	OPTIONAL (Area Programs Only).		
Domain:			
Type:	char(3)		
Length:	3	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	3

Description

Designation of a client referral by the Employee Assistance Program. Values 000 through 999, any combination of letters and numbers. This field is unique to each area program. Area program use only.

000=N/A

001-999=EAP codes

UUU=Unknown.

Annotation

Data migration note :

Move value as is from area program, move in ' for institutions.

Post migration note :

No validation, move value as is specified in the input.

education_level, column

Table Code:	CDW_DICTIONARY		
Name:	education_level		
Code:	education_level		
Label:	MANDATORY		
Domain:			
Type:	char(2)		
Length:	2	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	2

Description

Represents the highest grade/degree completed by the client at the time of admission.

Education Level

CDW

00=	None, never attended school
01=	First grade
02=	Second grade
03=	Third grade
04=	Fourth grade
05=	Fifth grade
06=	Sixth grade
07=	Seventh grade
08=	Eight grade
09=	Ninth grade
10=	Tenth grade
11=	Eleventh grade
12=	Twelfth grade/high school graduate
14=	Some college
16=	Baccalaureate degree
17=	Post graduate school
18=	Post bachelor's degree
20=	GED
30=	Kindergarten
35=	Associate degree
50=	School for special skills
80=	Technical trade school
81=	Ungraded
82=	Special education
99=	Unknown.

Annotation

Data migration and post migration :

If the input value contains blanks then set the target to 'U's,

If the input value is invalid then set the target field to 'O's,

Else move the valid setting to the target field.

employment_status, column

Table Code:	CDW_DICTIONARY		
Name:	employment_status		
Code:	employment_status		
Label:	MANDATORY		
Domain:			
Type:	char(2)		
Length:	2	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	2

Description

A code used to identify the client's status of employment, either temporary or permanent, at the time of admission to an institution or area program.

00=Unemployed,
01=Employed full time,
02=Employed part time,
03=Not in work force, student,
04=Not in work force, retired,
05=Not in work force, homemaker,
06=Not in work force, not available for work,
07=Armed Forces/National Guard,
08=Seasonal/Migrant worker,
09=Unknown.

Annotation

Data migration and post migration :
If the input value contains blanks then set the target to 'U's,
If the input value is invalid then set the target field to 'O's,
Else move the valid setting to the target field.

english_proficiency, column

Table Code:	CDW_DICTIONARY		
Name:	english_proficiency		
Code:	english_proficiency		
Label:	MANDATORY		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

English spoken and understood at a relatively high level of proficiency, e.g. no interpreter is required.. This is a new field.

The settings for this field are :

N=No,
Y=Yes.

Annotation

Data migration note :

No conversion from IMS, data not available. Initialize to '.

Post migration note :

If the input value contains blanks then set the target to 'U's,

If the input value is invalid then set the target field to 'O's,

Else move the valid setting to the target field.

If no, add to special population 'non-English speaking'.

ethnicity, column

Table Code:	CDW_DICTIONARY		
Name:	ethnicity		
Code:	ethnicity		
Label:	MANDATORY		
Domain:			
Type:	char(2)		
Length:	2	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	2

Description

Identify the client's ethnic origin.

The settings are as follows:

- M= Hispanic, Mexican American,
- P= Hispanic, Puerto Rican,
- C= Hispanic, Cuban
- H= Hispanic, Other
- N= Not Hispanic Origin
- U= Unknown.

Conforms to the MHSIP, Mental Health Statistics Improvement Program.

Annotation

Data migration and post migration :

If the input value contains blanks then set the target to 'U's,

If the input value is invalid then set the target field to 'O's,

Else move the valid setting to the target field.

No data migration for area programs, data in current system.

federal_service_type, column DISCONTINUE

Table Code:	CDW_DICTIONARY		
Name:	federal_service_type		
Code:	federal_service_type		
Label:	MANDATORY (Area Programs Only).		
Domain:			
Type:	char(2)		
Length:	2	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	2

Description

Specific Substance Abuse and Mental Health Services Administration, (SAMHSA), service code representing the type of service the client received. Field applies to area programs only.

Federal Service Codes (Area Programs)

10 = Detoxification, 24 Hour Service, Hospital Inpatient. 24 hour per day medical acute care services for detoxification for persons with severe medical complications associated with withdrawal.

20 = Detoxification, 24 Hour Service, Free Standing Residential. 24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.

30 = Rehabilitation/Residential – Hospital (other than detoxification). 24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.

40 = Rehabilitation/Residential-Short Term (30 days or fewer). Typically 30 days or less of non-acute care in a setting with rehabilitation/residential services for alcohol and other drug abuse and dependency.

41 = Residential Only-Short Term (30 days or fewer). Typically 30 days or less of non-acute care in a setting with only residential treatment services for alcohol and other drug abuse and dependency.

50 = Rehabilitation/Residential – Long Term (more than 30 days). Typically more than 30 days of non-acute care in a setting with rehabilitation/residential services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.

51 = Residential Only– Long Term (more than 30 days). Typically more than 30 days of non-acute care in a setting with only residential treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.

60 = Ambulatory-Intensive Outpatient. As a minimum the client must receive treatment lasting two or more hours per days three or more days per week.

70 = Ambulatory-Non-Intensive Outpatient. Ambulatory treatment services including individual, family and or group services; these may include pharmacological therapies.

80 = Ambulatory-Detoxification. Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

Annotation

Data and post migration :

If this field does not validate against the 'federal service type' table reject the record, else move the input to the target.

gender, column

Table Code:	CDW_DICTIONARY		
Name:	gender		
Code:	gender		
Label:	MANDATORY		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

Identifies the sex of the client.
The settings are as follows:
M=Male,
F=Female,
U=Unknown.

Annotation

Data and post migration note :
If input value is blank, move a 'U' to the target field.
If the input is invalid move 'O' to the target field,
If input validates correctly against the 'gender' table, move input to target field.

identifier_type, column

Table Code:	CDW_DICTIONARY		
Name:	identifier_type		
Code:	identifier_type		
Label:	MANDATORY		
Domain:	Type		
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

Identifies the type of identifier in record associated with consumer.

Note: It is an alphanumeric field and is part of the composite key to access data in the CDW.

The current settings are as follows:

A= Area Program client or case number,
(Area Programs Only),

C=CP/MI#, (Institutions Only),

D=Drivers License,

I=Institution Medical Record Number
(Client Record Number), check across institutions,

M=Medicaid

R=Medicare,

S=SSN,

U=Unique-Id.

Annotation

Data and post migration note::

SSN, Medicare, Medicaid and drivers license # are awaiting A/G approval.

institution_code, column

Table Code:	CDW_DICTIONARY		
Name:	institution_code		
Code:	institution_code		
Label:	MANDATORY (Institutions Only).		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

Statistical reporting code assigned by the division for identifying the state facility serving a client. The field is 1 character in length and is alphanumeric. The following is a description of the codes:

Psychiatric hospital, codes

0= John Umstead,
1=Cherry,
2=Broughton,
3=Dorothea Dix.

Mental retardation center, codes

4=Murdoch center,
5=O'Berry center,
6=Caswell center,
7=Western Carolina center.
E=Black Mountain center

Alcohol and drug abuse treatment center codes

H=J F Keith ADATC,
Q=W.B. Jones ADATC.

Special care centers, codes

9=NC special care,
W=Wright school,
B=Whitaker school,
C=Butner ATC.

Annotation

Data migration :

This is the first byte of the facility code for ARBS state institution. It is mandatory for institutions, will be ' ' for area programs.

Data migration and post migration:

If the value is not in the institution code table then reject the input record.

Else move into target field.

legal_charge_code, column

Table Code:	CDW_DICTIONARY		
Name:	legal_charge_code		
Code:	legal_charge_code		
Label:	MANDATORY (Institutions Only)		
Domain:			
Type:	char(8)		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

Category of any legal charges pending against a client.

Annotation

Data Migration Note:

New field, initialize with a blank.

Post Migration Note:

CDW

Code	Description
-----	-----
ASSAULT	Assault,
INJURY	Injury to others,
RAPE	Rape,
MURDER	Murder,
OTHER	Other.

legal_status, column

Table Code:	CDW_DICTIONARY		
Name:	legal_status		
Code:	legal_status		
Label:	MANDATORY (Institution Only).		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

Describes any special legal conditions/restrictions applicable to a client. Legal status is applicable in Psychiatric Hospitals, Alcohol and Drug Abuse Treatment Centers and Whitaker School only. This field applies to institutions only.

Legal Status: INSTITUTION

0= No known legal status,
2= Detainer, other,
3= House Bill 95 with detainer,
4= Dept of Correction inmate,
5= Driving while impaired, (DWI), court ordered,
6= Probation, parole,
7= Not guilty reason of insanity, (NGRI),
8= Detainer, not capable to proceed,
9= Pending charges,
N= No legal status.

Annotation

Data migration and post migration :

Move an ' ' for area programs and institutions which are not applicable.

If input value is blank, move a 'N' to the target field.

If the input is invalid move '0' to the target field,

If input validates correctly against the 'legal status table', move input to target field.

legally_resp_person, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	legally_resp_person		
Code:	legally_resp_person		
Label:	OPTIONAL		
Domain:			
Type:	char (1)		
Length:	2	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

Person legally, financially responsible for the client. This is a new field.

S=self,
P=parent,
G=grandparent,
R=other relative,
A=area program,
D=DSS/other agency,
O=other,
U=unknown.

Annotation

Data migration note :

Data not available from the current IMS system. Data will not be converted.

Post migration note :

If input is blank, move 'U' to target,

Verify the input against the 'legally responsible person table'.

If not in the table move 'O' to target field.

living_arrang, column

Table Code:	CDW_DICTIONARY		
Name:	living_arrang		
Code:	living_arrang		
Label:	MANDATORY		
Domain:			
Type:	char(2)		
Length:	2	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	2

Description

The client's living arrangement (residential), at the time of admission to or discharge from the facility or area program

Living Arrangements:

CDW

01	Private residence (house, apartment, mobile home, child living with family)
02	Other independent rooming house dormitory, barracks, fraternity house, work bunk house or ship)
03	Homeless(street, vehicle, shelter for homeless)
04	Correctional facility(prison, jail, training school, detention center)
05	Institution(psychiatric hospital, mental retardation center, Wright, ADATC)
06	Residential facility excluding nursing homes (halfway house, group home, child care institution, DDA group home)
07	Foster family, alternative family living
08	Nursing home (ICF, SNF)
09	Adult care home – 7 or more beds (rest home)
10	Adult care home – 6 or fewer beds (family care home)
11	Community ICF-MR
12	Community ICF-MR 70 or more beds
OO	Other

Annotation

Data migration :

Area Program

1,2,3,4,5,6,7	Private residence
9,6,A,B	Homeless
8	Institution

Move value as is to target.

Post migration :

If input value is blank, move a 'U' to the target field.

If the input is invalid move 'O' to the target field,

If input validates correctly against the 'living arrangement' table,
move input to target field.

loa_end_date, column

Table Code:	CDW_DICTIONARY		
Name:	loa_end_date		
Code:	loa_end_date		
Label:	OPTIONAL (Institutions Only).		
Domain:	Date		
Type:	datetime		
Length:	0	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	0

Description

The month, day, and year that the clients' leave of absence ends and s/he returns to the institution. The date is in relational format, yyyy-mm-dd.

Annotation

Data migration :

Update the field with the discharge date. The end date must be present before another LOA record will be processed. If the client is terminated and the LOA is still open, update with the terminate date.

Post migration :

Expect a valid date. Also this date must be prior to the next LOA date.

loa_last_updt_date, column

Table Code:	CDW_DICTIONARY		
Name:	loa_last_updt_date		
Code:	loa_last_updt_date		
Label:	DERIVED (Internally Generated).		
Domain:	Date		
Type:	datetime		
Length:	0	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	0

Description

Last date that this record was updated.

Annotation

Last date that this record was updated.

loa_start_date, column

Table Code:	CDW_DICTIONARY		
Name:	loa_start_date		
Code:	loa_start_date		
Label:	MANDATORY (Institutions Only).		
Domain:	Date		
Type:	datetime		
Length:	0	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	0

Description

The month, day, and year that the client leave of absence begins. The date is in relational format, yyyy-mm-dd

Annotation

Data and post migration :

This field applies to Institutions only. Must be a valid date.

loav_type, column

Table Code:	CDW_DICTIONARY		
Name:	loav_type		
Code:	loav_type		
Label:	MANDATORY (Institutions Only).		
Domain:			
Type:	char(3)		
Length:	3	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	3

Description

This field designates the kind of leave of absence.

LOA TYPE

EL	Exhausted therapeutic leave
FE	Forensic evaluation at DIX
MV	Medical visit
RP	Release Pending court hearing
TL	Therapeutic leave
TP	Trial placement
TV	Temporary visit
TX	Transfer out to visiting patient status
UA	Unauthorized absence

Annotation

Data migration note:

Code:

250	>>>>	MV
210	>>>>	TP
200	>>>>	UA
240	>>>>	TL
260	>>>>	RP
400	>>>>	TX
???	>>>>	EL,FE,TV,TX.

Post migration note :

This field applies to institutions only.

If the input field does not validate in the 'leave of absence type' table reject the input record else move the input to the target field.

If Loa type = 400, must have admission record to another institution.

marital_status, column

Table Code:	CDW_DICTIONARY		
Name:	marital_status		
Code:	marital_status		
Label:	MANDATORY		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

Marital status at the time of admission.
The settings are as follows:

- A=Annulled,
- S=Single,
- M=Married,
- P=Separated,
- D= Divorced,
- W=Widowed,
- U=Unknown,
- L=Domestic partners.

Annotation

Data migration :
Straight move from CEA.

Post migration :
If input value is blank, move a 'U' to the target field.
If the input is invalid move 'O' to the target field,
If input validates correctly against the 'marital status' table, move input to target field.

meth_plan_ind, column DISCONTINUE

Table Code:	CDW_DICTIONARY		
Name:	meth_plan_ind		
Code:	meth_plan_ind		
Label:	MANDATORY (Area Programs Only).		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

Designation of whether of not methadone is planned as part of the client's treatment. The settings are as follows:

Y=Yes,
N=No.

Annotation

Data and post migration :

If the facility is a methadone treatment center, then input must be a 'y' or an 'n' else reject the input record.

If the facility is not a methadone treatment center, then the input must be a 'n' or ' ' else reject the record.

patient_type, column

Table Code:	CDW_DICTIONARY		
Name:	patient_type		
Code:	patient_type		
Label:	MANDATORY (Institutions Only).		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

Describes the category of a client visit at a facility.

I=Inpatient

O=Outpatient

R=Series/Recurring

S=Same day surgery

V=Visiting

Annotation

Data migration

No conversion required, will be initialized with a '. In addition ' will be place in patient days.

Post migration:

This field applies to institutions only. Area programs will receive an ' in the target field. If input validates correctly against the 'patient type' table, move input to target field. Else reject the input record.

primary_language, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	primary_language		
Code:	primary_language		
Label:	OPTIONAL		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

The language spoken and or understood by the client.

The settings are as follows:

E=English,
L=Sign language,
F=French,
S=Spanish,
O=Other,
N=None,
U=Unknown.

Annotation

Data migration note :

Data not available from current IMS system. Will initialize the field with ' '.

Post migration note :

If input value is blank, move a 'U' to the target field.

If the input is invalid move 'O' to the target field,

If input validates correctly against the 'primary language' table, move input to target field.

If value = L update deaf/ hearing impaired in special population.

race, column

Table Code:	CDW_DICTIONARY		
Name:	race		
Code:	race		
Label:	MANDATORY		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

Identification of the clients' race.
The following are the settings of this field:

W=White,
B=Black,
I=American Indian, Alaskan Native,
A=Asian or Pacific Islander,
O=Other,
U=Unknown.

Complies with census and MHSIP (Mental Health Statistics Improvement Program).

Annotation

Data migration note :

Make 'k' = 'i',
'n' = 'b',
'h' = 'o',
' ' = 'u'
'u' = 'u'.

Post migration:

If input value is blank, move a 'U' to the target field.

If the input is invalid move 'O' to the target field,

If input validates correctly against the ' race' table, move input to target field.

risk_admit_date, column DISCONTINUE

Table Code:	CDW_DICTIONARY		
Name:	risk_admit_date		
Code:	risk_admit_date		
Label:	MANDATORY (Area Program Only).		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The date of the admission with which this risk factor is associated. Must match a valid admission date for the client.

Annotation

Data migration :
Data taken from the IMS area program DB segment.

Post migration:
Must be a valid date and must match the 'CONSUMER ADMISSION DATE'.

risk_last_updt_date, column DISCONTINUE**Table Code:** CDW_DICTIONARY**Name:** risk_last_updt_date**Code:** risk_last_updt_date**Label:** DERIVED (Internally Generated).**Domain:** Date**Type:** datetime**Length:** 8 **Precision:** 0**Null Values:** 0% **Distinct Values:** 100% **Average Length:** 8**Description**

Last date that this record was updated.

Annotation

Last date that this record was updated.

riskv_factor, column DISCONTINUE

Table Code:	CDW_DICTIONARY		
Name:	riskv_factor		
Code:	riskv_factor		
Label:	MANDATORY (Area Program Only).		
Domain:			
Type:	char(2)		
Length:	2	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	2

Description

Factors that cause a child to be a risk for future MH/DD/SAS services.
Report on the Governors At Risk Report.

Risk factors:

01=is a school dropout,
02=has experienced repeated failure in school,
03=has become pregnant,
04=is economically disadvantaged,
05=is the child of a drug or alcohol abuser,
06=is a victim of physical, sexual, or psychological abuse,
07=has committed a violent or delinquent act,
08=has experienced mental health problems,
09=has attempted suicide,
10=has experienced long-term physical pain due to injury,
11=is a juvenile in a detention facility within the state,
12=other.

Annotation

Data migration note :
Data taken from the IMS area program DB segment.

Post migration note :
If input does not validate in the 'risk factor' table reject the record,
else move the input to the target field.

sa_end_date, column

Table Code:	CDW_DICTIONARY		
Name:	sa_end_date		
Code:	sa_end_date		
Label:	OPTIONAL		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The date an individual ends treatment at an area program for a specific substance (drug of choice). The date is in relational format, yyyy-mm-dd.

Annotation

Data and post migration :

At the time of termination move termination date to this field or blank..

sa_last_update_date, column

Table Code:	CDW_DICTIONARY		
Name:	sa_last_update_date		
Code:	sa_last_update_date		
Label:	DERIVED (Internally Generated).		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

Last date that this record was updated.

Annotation

Last date that this record was updated.

sa_start_date, column

Table Code:	CDW_DICTIONARY		
Name:	sa_start_date		
Code:	sa_start_date		
Label:	MANDATORY		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The date an individual started substance abuse treatment. The date is in relational format, yyyy-mm-dd.

Annotation

Data and post migration :

Date must be a valid date or record is rejected.

samo_end_date, column DISCONTINUE

Table Code:	CDW_DICTIONARY		
Name:	samo_end_date		
Code:	samo_end_date		
Label:	OPTIONAL (Area Programs Only).		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The date an individual is formally terminated from a specific substance abuse treatment service. The date is in relational format, yyyy-mm-dd.

.

Annotation

Data migration :
Update the field with the termination date.

Post migration:
Update when the client is terminated.

samo_last_update_date, column DISCONTINUE

Table Code:	CDW_DICTIONARY		
Name:	samo_last_update_date		
Code:	samo_last_update_date		
Label:	DERIVED (Internally Generated).		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

Last date that this record was updated.

Annotation

Last date that this record was updated.

samo_start_date, column DISCONTINUE

Table Code:	CDW_DICTIONARY		
Name:	samo_start_date		
Code:	samo_start_date		
Label:	MANDATORY (Area Programs Only).		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The date an individual is formally admitted to an area program for substance abuse treatment service. The date is in relational format, yyyy-mm-dd..

.

Annotation

Data Migration:

Data to be obtained from the IMS SA segment.

Post migration :

Data obtained from the input record, must be a valid date or else reject the record.

sav_age_first_use, column

Table Code:	CDW_DICTIONARY		
Name:	sav_age_first_use		
Code:	sav_age_first_use		
Label:	MANDATORY		
Domain:			
Type:	char(2)		
Length:	2	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	2

Description

Designation of the age that the client first began using the drug specified on this substance abuse record. The value is numeric and can range from 00-99.

Annotation

Data migration:

A blank and a blank/zero setting on the input will be set to '00'. Otherwise this is a straight move from the input segment.

If not an SA person then move a blank to the target field.

Post Migration :

Make sure value is numeric, then move to target field. If invalid then reject record and notify the user.

sav_drug_code, column

Table Code:	CDW_DICTIONARY		
Name:	sav_drug_code		
Code:	sav_drug_code		
Label:	MANDATORY		
Domain:			
Type:	char(2)		
Length:	2	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	2

Description

Designation of the substance the client was abusing. This is a 2 character field, alphanumeric.

Drug Code.

00= None (e.g client in remission.)
 01= Alcohol
 02= Cocaine/Crack
 03= Marijuana/Hashish (Cannibus)
 04= Heroin
 05= Non-Prescription Methadone
 06= Other Opiates and Synthetics (Morphine, Codine, Dilaudid, Percodan)
 07= PCP (Phencyclidine)
 08= OtherHallucinogens (LSD, MDA, Psilocybin, Mescaline)
 09= Methamphetamine (Ice)
 10= Other Amphetamines (Dextroamphetamine, Dexedrine, Amphetamine, Crank, Speed)
 11= Other Stimulants (e.g. caffeine)
 12= Benzodiazepine (Valium, Librium, Tranxene)
 13= Other Tranquilizers (Thorazine, Haldol)
 14= Barbiturates (Phenobarbital, Secobarbital, Pentobarbital)
 15= Other Sedatives or Hypnotics (Doriden, Quaalude)
 16= Inhalants (Nitrites, Freon, glue, turpentine, paint thinner, rubbing alcohol)
 17= Over the counter drugs (e.g diet tablets, cough syrup)
 18= Other
 19= Tobacco.

Annotation**Data migration:**

This is a straight move from the input record. A blank setting represents unknown if client abuses a substance.

Post migration :

If the input does not validate against the 'drug code' table then reject the record,
 else move input to the target field.

sav_drug_frequency, column

Table Code:	CDW_DICTIONARY		
Name:	sav_drug_frequency		
Code:	sav_drug_frequency		
Label:	MANDATORY		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

Specification of the frequency of use for the substance abused by the client as identified in the substance abuse record. This is a one character alphanumeric field no special characters allowed.

The values are:

0= not in past mth

1=1-3 x in past mth.

2= 1-2 x in past wk.

3= 3-6 x in past wk.

4= daily use,

9= unknown.

Annotation

Data and post migration :

If the input does not validate against the 'drug use frequency' table reject the record, else move the input to the target field.

sav_drug_use_class, column

Table Code:	CDW_DICTIONARY		
Name:	sav_drug_use_class		
Code:	sav_drug_use_class		
Label:	MANDATORY		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

The desirability to the client of the substances abused. R= primary , S=secondary, A=additional. This is a one character alphanumeric field, no special characters allowed.

Annotation

Data and post migration :

Must be a 'R', 'S', or 'A' else reject the record.

sav_drug_use_route, column

Table Code:	CDW_DICTIONARY		
Name:	sav_drug_use_route		
Code:	sav_drug_use_route		
Label:	MANDATORY		
Domain:			
Type:	char(1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

Usual route of administration of the substance abused by a client. This is a one character alphanumeric field, using no special characters.

The codes are:

1=oral,

2=smoking,

3=inhallation,

4=injection,

5=other,

9=unknown.

Annotation

Data and post migration note :

If the input field does not validate against the ' drug use route' table reject the record, else move the input to the target field.

screen_county_resid, column NEW

Table Code:	CDW_DICTIONARY		
Name:	screen_county_resid		
Code:	screen_county_resid		
Label:	MANDATORY		
Domain:			
Type:			
Length:	3	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	3

Description

The county in which the consumer resides. Refer to data item “county_code”, pages 38-40.

Annotation

screen_medicaid_enrollment, column NEW

Table Code:	CDW_DICTIONARY		
Name:	screen_medicaid_enrollment		
Code:	screen_medicaid_enrollment		
Label:	MANDATORY		
Domain:			
Type:			
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

Field to check status of Medicaid enrollment (self-reported). "N" = No, "Y" = Yes.

If they are unsure, check "no".

Annotation

screen_method, column**NEW****Table Code:** CDW_DICTIONARY**Name:** screen_method**Code:** screen_method**Label:** MANDATORY**Domain:****Type:****Length:** 1 **Precision:** 0**Null Values:** 0% **Distinct Values:** 100% **Average Length:** 1**Description**

Consumer initiates telephonic or face-to-face contact with the LME or a Provider. F=Face to face, T=Telephonic.

Annotation

screen_pres_agedis_prob1, column**NEW**

Table Code:	CDW_DICTIONARY		
Name:	screen_pres_agedis_prob1		
Code:	screen_pres_agedis_prob1		
Label:	MANDATORY		
Domain:			
Type:			
Length:	2	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	2

Description

At the point of screening by the LME, the consumer is determined to meet one of the following age disability population criteria. If more than one, go to data items 15 & 16 (screen_pres_agedis_prob2, screen_pres_agedis_prob3).

AM = Adult Mental Health

CM = Child Mental Health

AD = Adult Developmental Disability

CD = Child Developmental Disability

AS = Adult Substance Abuse

CS = Child Substance Abuse

Annotation

screen_pres_agedis_prob2, column**NEW**

Table Code:	CDW_DICTIONARY		
Name:	screen_pres_agedis_prob2		
Code:	screen_pres_agedis_prob2		
Label:	MANDATORY		
Domain:			
Type:			
Length:	2	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	2

Description

At the point of screening by the LME, the consumer is determined to meet one of the following age disability population criteria. If more than two, go to data item 16 (screen_pres_agedis_prob3).

AM = Adult Mental Health

CM = Child Mental Health

AD = Adult Developmental Disability

CD = Child Developmental Disability

AS = Adult Substance Abuse

CS = Child Substance Abuse

Annotation

screen_pres_agedis_prob3, column**NEW**

Table Code:	CDW_DICTIONARY		
Name:	screen_pres_agedis_prob3		
Code:	screen_pres_agedis_prob3		
Label:	MANDATORY		
Domain:			
Type:			
Length:	2	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	2

Description

At the point of screening by the LME, the consumer is determined to meet one of the following age disability population criteria.

AM = Adult Mental Health

CM = Child Mental Health

AD = Adult Developmental Disability

CD = Child Developmental Disability

AS = Adult Substance Abuse

CS = Child Substance Abuse

Annotation

screen_time_begin, column**NEW**

Table Code:	CDW_DICTIONARY		
Name:	screen_time_begin		
Code:	screen_time_begin		
Label:	MANDATORY		
Domain:			
Type:	military time		
Length:	4	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	4

Description

The time at the beginning of screening. The format is in military time, HHMM (0000-2359).

Annotation

screen_time_end, column**NEW**

Table Code:	CDW_DICTIONARY		
Name:	screen_time_end		
Code:	screen_time_end		
Label:	MANDATORY		
Domain:			
Type:	military time		
Length:	4	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	4

Description

The time at the end of screening. The format is in military time, HHMM (0000-2359).

Annotation

serv_end_date, column

Table Code:	CDW_DICTIONARY		
Name:	serv_end_date		
Code:	serv_end_date		
Label:	OPTIONAL (Institutions Only).		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The month, day, and year that a client completes the service change within a facility. The date is in relational format, yyyy-mm-dd

Annotation

Data migration :

Set field to blank or if available use termination date.

Post migration :

Update the target field with the termination date. Make sure date is valid.

serv_last_updt_date, column

Table Code:	CDW_DICTIONARY		
Name:	serv_last_updt_date		
Code:	serv_last_updt_date		
Label:	DERIVED (Internally Generated).		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

Last date that this record was updated.

Annotation

Last date that this record was updated.

serv_start_date, column

Table Code:	CDW_DICTIONARY		
Name:	serv_start_date		
Code:	serv_start_date		
Label:	MANDATORY (Institutions Only).		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The month, day, and year that a client starts to change service within a facility. The date is in relational format, yyyy-mm-dd

Annotation

Data migration:

Set field to blank or if available use admission date.

Post migration:

Update the target field with the admission date. Make sure date is valid.

service_code, column

Table Code:	CDW_DICTIONARY		
Name:	service_code		
Code:	service_code		
Label:	MANDATORY (Institutions Only).		
Domain:			
Type:	char (3		
Length:	3	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	3

Description

Designation of the type of programmatic service to which the client is transferring.

Service Code.

AA	Adult Acute Psych, Active Rx
AAI	Adult Acute Psych, LL-ICF
AAN	Adult Acute Psych, Non-acute
AAS	Adult Acute Psych, LL-SNF
AL	Adult Long Term, Active Rx
ALI	Adult Long Term, LL-ICF
ALN	Adult Long Term, Non-acute
ALS	Adult Long Term, LL-SNF
AQ	Aquatics
AR	Adult Rehab, Active Rx
ARI	Adult Rehab, LL-ICF
ARN	Adult Rehab, Non-acute
ARS	Adult Rehab, LL-SNF
AT	BART-Behav Adv Residential Rx
AU	Audiology
CA	Child/Youth Acute, Active Rx
CAN	Child/Youth Acute, Non-acute
CC	Critical Care
CL	Child/Youth Lng Trm, Active Rx
CLN	Child/Youth Lng Trm, Non acute
CM	Medical Consult
CNS	Surgical Consult
CR	Crisis Service, Active Rx
DC	Dental Clinic
DF	Deaf Services, Active Rx
DFI	Deaf Services, LL-ICF
DFN	Deaf Services, Non acute
DFS	Deaf Services, LL-SNF
DI	Dietary
DM	Dermatology Clinic
DO	Day Outpatient Surgery
DT	Detox Active Treatment
DTN	Detox Non Acute
EA	ERADC(East Reg Assis Device)
EC	Eye Clinic (Optometry)
ED	Education

EN	ENT Clinic
EQ	Equestrian
EV	Evaluation
GA	Geriatric Acute, Active Rx
GAI	Geriatric Acute, LL-ICF
GAN	Geriatric Acute, Non-acute
GAS	Geriatric Acute, LL-SNF
GI	Gastroenterology Clinic
GL	Geriatric Long Term, Active Rx
GLI	Geriatric Long Term, LL-ICF
GLN	Geriatric Long Term, Non-acute
GLS	Geriatric Long Term, LL-SNF
GY	Gynecology
HM	High Mgt/Forensic Rx,Active Rx
HMI	High Mgt/Forensic Rx, LL-ICF
HMN	High Mgt/Forensic Rx,Non-acute
HMS	High Mgt/Forensic Rx, LL-SNF
IC	ICF(Intermediate Care Facility)
IN	Infirmery (MR Centers)
JD	John Doe Service *
LAB	Laboratory
MC	Medical Clinic
MD	Medication Review
MR	ICF/MR (Mental Retardation)
MS	Medical Service
MT	MAE Team
NC	Nurs/Combined Care, Active Rx
NCI	Nurs/Combined Care, LL-ICF
NCN	Nurs/Combined Care, Non-acute
NCS	Nurs/Combined Care, LL-SNF
NP	Neuropsychological Clinic
NR	Neurology Clinic
OB	Observation
OC	Orthopedic Clinic
OP	Ophthalmology Clinic
OR	Outreach
OS	Oral Surgery Clinic
OT	Optical Clinic
PN	Perinatal (ADATCs)
PO	Podiatry Clinic
POB	Psychiatric Observation *
PS	Psychology Clinic
PT	Pre-Trial Evaluation
PY	Psychiatric Clinic
RA	Alzheimer's Respite
RAD	Radiology
RD	Re-education
RE	Research, Active Treatment
REI	Research, Lower Level ICF
REN	Research, Non-acute
RES	Research, Lower Level SNF
RP	Respite - Mental Retardation
RR	Respite - Re-Education
SA	Substance Abuse, Active Rx
SAN	Substance Abuse, Non-Acute

SER	Series Outpatient
SC	Surgery Clinic
SH	Speech/Hearing Clinic
SN	SNF(Skilled Nursing Facility)
SP	Speech/Language Clinic
SS	Surgical Services
SW	Social Work (Outpatient)
TB	Tuberculosis
TO	Tonometry Clinic
TR	Therapeutic Respite
UR	Urology Clinic
VS	Vocational Services

Annotation

Data and post migration:

If the input field does not validate against the 'service code' table then reject the input record, else move the input field to the target field.

ARBS Code	ARBS Description	Affinity Code	Affinity Description

AA	Adult Psych - Acute	AA	Adult Acute Psych, Active Rx
AC	Acute Care Infirmary	MR	ICF/MR (Mental Retardation)
AL	Adult Psych - Long Term	AL	Adult Long Term, Active Rx
AR	Adult Rehab	AR	Adult Rehab, Active Rx
AQ	Aquatics	AQ	Aquatics
AT	Bart Service	AT	BART-Behav Adv Residential Rx
AU	Audiology	AU	Audiology
CA	Chld/Yth Psych - Acute	CA	Chikd/Youth Acute, Active Rx
CB	Discharge Conversion		
CC	Critical Care	CC	Critical Care
CL	Chld/Yth Psych - LT	CL	Child/Youth Lng Trm, Active Rx
CL/9	Willie M	CL	Child/Youth Lng Trm, Active Rx
CM	Medical Consult	CM	Medical Consult
CNS	Consult - Surgical	CNS	Consult - Surgical
CO	Chld/Yth Psych OP	SER	Series
CS	Surgical Consult	CNS	Consult - Surgical
DC	Dental Clinic	DC	Dental Clinic
DF	Deaf Services	DF	Deaf Services, Active Rx
DI	Dietary	DI	Dietary
DM	Dermatology Clinic	DM	Dermatology Clinic
DO	Day Appetent/Day OP Surg	DO	Day Outpatient Surgery
DS	Day Service	SER	Series
EA	ERADC	EA	ERADC(East Reg Assis Device)
EC	Eye Clinic	EC	Eye Clinic
ED	Education	ED	Education
EN	ENT Clinic	EN	ENT Clinic
EQ	Equestrian	EQ	Equestrian
EV	Evaluation	EV	Evaluation
GA	Geri Psych - Acute	GA	Geriatrics Acute, Active Rx

GI	GI Clinic	GI	Gastroenterology Clinic
GL	Geri Psych - Long Term	GL	Geriatric Long Term, Active Rx
GY	GYN Clinic	GY	Gyneclolcy
HM	High Management	HM	High Mgt/Forensic Rx, Active Rx
IC	ICF Level of Care	IC	ICF (Intermediate Care Facility)
IN	Psych Infirmary/Infirmary	IN	Infirmary (MR Centers)
LAB	Laboratory	LAB	Laboratory
MC	Medical Clinic	MC	Medical Clinic
MD	Medication Review	MD	Medication Review
MR	MR	MR	ICF/MR (Mental Retardation)
MS	Medical Service	MS	Medical Service
MT	MAE Team	MT	MAE Team
NC	Nursing Care	NC	Nurs/Combined Care, Active Rx
NP	Neuropsych Clinic	NP	Neuropsychological Clinic
NR	Neurology Clinic	NR	Neurology Clinic
OB	Observation	POB	Psychiatric Observation
PS	Psychology	PS	Psychology Clinic
PT	Pre-Trial Evaluation	PT	Pre-Trial Evaluation
PY	Psychiatric Clinic	PY	Psychiatric Clinic
RA	Alzheimer's Respite	RA	Alzheimer's Respite
RAD	Radiology	RAD	Radiology
RE	Research Patients	RE	Research, Active Treatment
RO	Research OP Clinic	SER	Series
RP	MR Respite	RP	Respite, Mental Retardation
SA	Substance Abuse	SA	Substance Abuse, Active Rx
SC	Surgery Clinic	SC	Surgery Clinic
SH	Speech/Hearing Clinic	SH	Speech/Hearing Clinic
SN	SNF Level of Care	SN	SNF (Skilled Nursing Facility)
SP	Speech/Language Clinic	SP	Speech/Language Clinic
SS	Surgical Service	SS	Surgical Services
SW	Social Work	SW	Social Work (Outpatient)
TB	Tuberculosis	TB	Tuberculosis
TO	Tonometry Clinic	TO	Tonometry Clinic
TR	Therapeutic Respite	TR	Therapeutic Respite
UR	Urology Clinic	UR	Urology Clinic
VS	Vocational Services	VS	Vocational Services

spec_end_date, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	spec_end_date		
Code:	spec_end_date		
Label:	OPTIONAL (Area Programs Only).		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The month, day and year that the client is no longer part of a specified special population. The date is in relational format, yyyy-mm-dd.

Annotation

Data migration:

Set field to blank or if available use termination date.

Post migration:

Update the target field with the termination date. Make sure date is valid.

spec_last_updt_date, column DISCONTINUE

Table Code:	CDW_DICTIONARY		
Name:	spec_last_updt_date		
Code:	spec_last_updt_date		
Label:	DERIVED (Internally Generated).		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

Last date that this record was updated.

Annotation

Last date that this record was updated.

spec_start_date, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	spec_start_date		
Code:	spec_start_date		
Label:	MANDATORY (Area Programs Only).		
Domain:	Date		
Type:	datetime		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

The month, day and year that the client became part of the special population group. The date is in relational format, yyyy-mm-dd.

.

Annotation

Data and post migration:

This field applies to area programs only. Must be a valid date.

specv_type, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	specv_type		
Code:	specv_type		
Label:	MANDATORY (Area Programs Only).		
Domain:			
Type:	char (1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

Designation of categories of special interest or special funding subgroups based on similar characteristics, which are applicable to a client.

- 4= CAP/MR/DD A person who has been designated as eligible to receive services reimbursed by Medicaid under the Community Alternatives Program for persons with Mental Retardation or other Developmental Disabilities,
- 6=SPMI Serious and persistent mental illness:
Adults, age 18 and older with severe and persistent mental illness who as a result of a mental disorder, exhibit emotional or behavioral functioning which is so impaired as to interfere substantially with their capacity to remain in the community without supportive treatment or services of a long term or indefinite duration,
- 7=Communicable
disease risk A client who has injected a controlled substance or has engaged in unprotected sexual contacts with multiple sex partners or with an injection drug user or has tested positive for HIV, AIDS, Hepatitis B or C, sexually transmitted disease, or active tuberculosis or is receiving Methadone maintenance,
- 8=Traumatic
brain injury (TBI). A person who is disabled due to a head injury which is defined as an insult to the brain caused by external trauma which may or may not result in loss of consciousness or coma and which produces any or all of the following impairments: cognitive impairment, communication disorder, motor dysfunction, and behavioral disorder,
- C= Juvenile/
Criminal justice
involvement Person who is receiving services because of involvement in the juvenile or criminal justice system including arrest, delinquency petition, incarceration, probation or parole.
- D=Maternal Female client who has primary responsibility for the care of dependent children under age 5,
- E=Youth with
sexually
aggressive

behavior	Child <18 who admits to having committed an act of sexual abuse or has been adjudicated for an illegal sexual act and the inappropriate sexual behavior is the current focus of treatment,
F=Serious Emotional Disturbance (SED)	Child 18 or younger who has a diagnosable mental, behavioral, or emotional disorder of sufficient duration to meet diagnostic criteria specified within DSMIV, that resulted in functional impairment which substantially interferes or limits the child's role or functioning in family, school, or community activities,
G=Deaf/Hard of hearing	an individual who, because of deafness or hearing impairment, communicates only by using sign language or who requires assistive listening devices in order to communicate,
H=Non-English speaking	An individual who communicates only in language(s) other than English and therefore requires an interpreter,
I=TANF recipient	Temporary assistance to needy families. Receives work first cash assistance.
J=Medicaid recipient	Is currently Medicaid eligible, as evidenced by a Medicaid card,
K=Child in DSS custody	Child may or may not be in foster care,
L=SSI/SSDI	Person eligible for supplemental security income or supplemental security disability income.
P=Pregnant	Pregnant.

Annotation

Data and post migration note:

Data will be validated against the 'special population' table. If invalid then the record will be rejected, else the data will be moved to the target field.

state_of_residence, column**DISCONTINUE**

Table Code:	CDW_DICTIONARY		
Name:	state_of_residence		
Code:	state_of_residence		
Label:	OPTIONAL		
Domain:			
Type:	char (2)		
Length:	2	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	2

Description

The state in which the consumer or his/her legally responsible person resides. The legal state of residence may differ from the current address. This is a new field for CDW

State/Possession	Abbreviation
------------------	--------------

ALABAMA	AL
ALASKA	AK
ARIZONA	AZ
ARKANSAS	AR
CALIFORNIA	CA
CANAL ZONE	CZ
COLORADO	CO
CONNECTICUT	CT
DELAWARE	DE
DISTRICT OF COLUMBIA	DC
FOREIGN COUNTRIES	FC
FLORIDA	FL
GEORGIA	GA
GUAM	GU
HAWAII	HI
IDAHO	ID
ILLINOIS	IL
INDIANA	IN
IOWA	IA
KANSAS	KS
KENTUCKY	KY
LOUISIANA	LA
MAINE	ME
MARYLAND	MD
MASSACHUSETTS	MA
MICHIGAN	MI
MINNESOTA	MN
MISSISSIPPI	MS
MISSOURI	MO
MONTANA	MT
NEBRASKA	NE
NEVADA	NV
NEW HAMPSHIRE	NH
NEW JERSEY	NJ
NEW MEXICO	NM
NEW YORK	NY

NORTH CAROLINA	NC
NORTH DAKOTA	ND
OHIO	OH
OKLAHOMA	OK
OREGON	OR
PENNSYLVANIA	PA
PUERTO RICO	PR
RHODE ISLAND	RI
SOUTH CAROLINA	SC
SOUTH DAKOTA	SD
TENNESSEE	TN
TEXAS	TX
UTAH	UT
VERMONT	VT
VIRGIN ISLANDS	VI
VIRGINIA	VA
WASHINGTON	WA
WEST VIRGINIA	WV
WISCONSIN	WI
WYOMING	WY

Annotation

Data migration:

N/A new field.

Post migration:

If input value is blank, move a 'U' to the target field.

If the input is invalid move 'O' to the target field,

If input validates correctly against the 'state of residence' table,
move input to target field.

thom_effective_date, column

Table Code:	CDW_DICTIONARY		
Name:	thom_effective_date		
Code:	thom_effective_date		
Label:	MANDATORY (Internally Loaded).		
Domain:	Date		
Type:	datetime		
Length:	0	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	0

Description

The date the consumer became a certified Thomas S client.

Annotation

Data migration:

Data is not available from the IMS system, will not be migrated.

Post migration:

Move valid date in to target field.

thom_end_date, column

Table Code:	CDW_DICTIONARY		
Name:	thom_end_date		
Code:	thom_end_date		
Label:	OPTIONAL (Internally Loaded).		
Domain:	Date		
Type:	datetime		
Length:	0	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	0

Description

The date the consumer was no longer a Thomas S client due to death or termination.

Annotation

Data migration:

Data is not available from the IMS system, will not be migrated.

Post migration:

Move valid date to target field.

thom_last_updt_date, column

Table Code:	CDW_DICTIONARY		
Name:	thom_last_updt_date		
Code:	thom_last_updt_date		
Label:	DERIVED (Internally Generated).		
Domain:	Date		
Type:	datetime		
Length:	0	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	0

Description

Last date that this record was updated.

Annotation

Last date that this record was updated.

thomv_type, column

Table Code:	CDW_DICTIONARY		
Name:	thomv_type		
Code:	thomv_type		
Label:	MANDATORY		
Domain:			
Type:	char (1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

The funding type of a client within the Thomas S system.

This info is from Francis Taylor 8/98

- 00 - Initial Status (First Tracking Entered)
- 01 - Client Deceased
- 02 - Client Relocated
- 04 - Client Not Located
- 05 - Client Reconfirmed
- 06 - Other
- 08 - Client Admitted to Institution
- 09 - Client Discharged from Institution
- 11- Class members residing in MRC's

Annotation

Data migration: Data not available in IMS, no data will be migrated.

Post migration:

If the input data does not validate against the 'Thomas s status' table then reject the record, else move the input date to the target field.

ufds_code, column

Table Code:	CDW_DICTIONARY		
Name:	UFDS code		
Code:	ufds_code		
Label:	MANDATORY (Area Programs Only).		
Domain:			
Type:	char (8)		
Length:	8	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	8

Description

Previously known, as NDATUS Code (National Drug and Alcoholism Treatment Unit Survey) is a facility code number assigned by National Institution on Drug Abuse, NIDA, and (a national facility code). Code originally used for NDATUS survey. UFDS stands for Uniformed Facility Data Sheet. It is also known as NRFN (National Facility Registration Number) and NMFI (National Master Facility Inventory).

Annotation

Data and post migration:
Move the input as it appears into the target field.
The codes are:

NC100021Durham County MH/DD/SAS

NC100112 alcohol and Drug Srvs of Guilford Inc

NC100120Alcohol and Drug Srvs of Guilford Inc

NC100187Foothills Area Mental Health Center

NC100245Lenoir Area Mental Health/Mental

NC100336Robeson County MentalHealth Clinic

NC100385Roanoke/Chowan Human Services Center

NC100542Southeastern Mental Health/Mental

NC100799Cabarrus Family Recovery Center

NC100849MH/DD/SA Authority

NC100898Oakleigh

NC100906Freedom House Recovery Center

NC100930Federal Correctional Institution

NC100989Durham Cnty Substance Abuse Srvs

NC101011Alamance Regional Medical Center Inc
NC101136Veterans Affairs Medical Center
NC101144Veterans Affairs Medical Center
NC101151Robert Swain Recovery Center
NC01177Alcohol and Drug Servs of Guilford Inc
NC101193Atlantic Behavioral Health Systems
NC101201Substance Abuse Counseling Center
NC101219US Marine Corp
NC300019Wayne County Mental Health Center
NC300241McLeod Addictive Disease Center
NC301207Rockingham County Area Mental Health
NC301611Wilson/Greene Substance Abuse Center
NC301702Davidson County Area Program for
NC301751Alamance Caswell Area MH/DD/SA Program
NC440005Veterans Affairs Medical Center
NC750098Charlotte Rescue Mission
NC750155Hope Valley Inc
NC750189Smoky Mountain Counseling Center
NC750205Fellowship Hall Inc
NC750262Smoky Mountain Counseling Center
NC750270Smoky Mountain Area Mental Health
NC750296Trend Community Mental Health Services
NC750387Smoky Mountain Counseling Center
NC750411Burke Council on Alcoholism and
NC750445New Bern Family Services
NC750452New River Mental Health Center
NC750510Smoky Mountain Counseling Center
NC750536Person County Mental Health Center

NC750544Rutherford/Polk Area MH/DD/
NC750577New River Mental Health
NC750676MH/DD/SA Authority
NC750734Riverstone Counseling and Personal
NC750809Naval Hospital
NC750817Duplin/Sampson Area MH/DD/SAS
NC750882Smoky Mountain Ctr for MH/MR/SA Servs
NC750940Robeson County Mental Health
NC751138Industrial Counseling Service
NC751161Durham Council on Alc and Drug Dep Inc
NC751179New River Mental Health
NC751286Foothills Mental Health Center
NC751328Foothills Mental Health Program
NC751385Addiction Recovery Care Association
NC751435R J Reynolds Tobacco Co USA
NC751468Day By Day Treatment Center of
NC751492Amethyst Charlotte Inc
NC900032Blue Ridge Center for MH/MR and SAS
NC900669Sandhills Mental Health Center
NC900925Charter Behavioral Health System of
NC901022Randolph County Mental Health/DD and
NC901063Drug Education Center Inc
NC901238Johnston Substance Abuse Program
NC901246Albemarle House Inc
NC901287FirstStep Farm of
NC901303Bladen County Mental Health Center
NC901311Myrover/Reese Fellowship Homes Inc

NC901337Family Counseling Center
NC901493New River Substance Abuse Center
NC901501Serenity House Inc
NC901519Alcohol and Drug Abuse Services of
NC901550Cleveland Center
NC901634Bethlehem Center/Charlotte
NC901667Cherokee Health Delivery Systems
NC901741Siler City Clinic
NC901790Foothills Mental Health Center
NC901816New River Mental Health
NC901857Bridgeway a Division of
NC901949Moore Regional Hospital
NC902012Wilson Crisis Center
NC100708Neil Dobbins Center
NC750429Foothills Area Mental Health Center
NC100435Rowan Regional Medical
NC901873Behavioral Medicine Center
NC101175The Recovery Partnership
NC750718Residential Trt Services of Alamance
NC901436Davidson Alcoholic Care Inc
NC101243McDowell Council on Alcohol and
NC101276Phoenix Hickory
NC101292Acts in Recovery Inc
NC101318First Step Counseling Inc
NC101326Delphi Counseling Services
NC101334TLC Human Resources Inc
NC101375Carolina EAPS Inc
NC101391ARP/Phoenix LLP

NC101409Union Regional Medical Center
NC101417Debra C Lawhan and Associates Inc
NC101425Charter Pines Hospital
NC101133Unity Regional Youth Treatment Center
NC101466Jamie Norton and Associates
NC101474First Inc
NC101516Department of Corrections
NC101524FPC Seymour Johnson Air Force Base
NC101573Dillworth Center for
NC101581Family Consultants Inc
NC101599Assessment Counseling and
NC102266Charleston Air Force Base
NC102274Pope Air Force Base
NC902111Employee Counseling Associates Inc
NC902129Recovery Center of Richmond
NC901832Charter Behavioral Health System
NC901907Brynn Marr Hospital
NC901824Real Crisis Intervention Inc
NC901212Onslow County Behavioral
NC901386Stepping Stone Manor
NC901048Coastal Horizons Center
NC900420Pitt County Mental Health Center
NC900487Orange/Person/Chatham
NC900651The Counseling Center of Iredell
NC900784Guilford County Mental Health Center
NC751450New River Behavioral Health
NC751484Wake County

NC751278Albemarle Mental Health Center
NC751302Alcohol and Drug Abuse Treatment Ctr
NC751369Division of Vocational Rehabilitation
NC751377Alcohol and Drug Servs of Guilford Inc
NC751013Chemical Dependency Center
NC751021Scotland County Mental Health Center
NC751195Samaritan Colony
NC750858The Recovery Center
NC750916Information and Referral Services
NC751005Friendship Home Inc
NC750742Bethesda Inc
NC750593Tideland Mental Health Center
NC750601Columbus County Mental Health Center
NC750635Centerpoint Substance Abuse Services
NC750650Friendship House
NC750494Christian Fellowship Home of
NC750528Edgecombe/Nash Mental Health Center
NC750569Lee/Harnett Mental Health Center
NC750437Foothills Area Mental Health Center
NC750254Walter B Jones Alcohol and
NC750288Vance County Mental Health Clinic
NC750338Alcoholics Home Inc
NC750346New River Area Programs
NC750049Julian F Keith ADATC
NC750056Hebron Colony and Grace Home
NC750171Cumberland County Mental Health Center
NC301660Step One Incorporated
NC300100Southlight Inc

NC101540Carteret Counseling Services Inc
NC101557Insights in Recovery
NC101565Wellness Training Association Inc
NC101482Raintree Clinic
NC101490Serenity Counseling Services
NC101508Twin City Counseling Center
NC101532Duke Alcoholism and Addiction Program
NC101441Chemical Dependency Training
NC101458Men and Women in Crisis
NC101367Assessment and Counseling Services Inc
NC101383Deborah Giles and Associates
NC101300Care Clinic Group Inc
NC101342Carolina Care Center
NC101359New Beginnings of Gaston County
NC101235Carolina Psych Group
NC101250Mountain Treatment Center
NC101102Broughton Hospital
NC101003Durham Community Guidance Clinic
NC101045Family Service Inc
NC101060Carolina Manor Treatment Center
NC100805Roxie Avenue Center
NC100880Novant Health Recovery Network
NC100955Mecklenburg County Area MH Authority
NC100484High Point Behavioral Health
NC100518Fellowship Homes of Kinston Inc
NC100328Bethany House
NC100237Mercy Hospital

veteran_status, column

Table Code:	CDW_DICTIONARY		
Name:	veteran_status		
Code:	veteran_status		
Label:	MANDATORY		
Domain:			
Type:	char (1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

A veteran is any person who has served on active duty in the armed forces of the U.S., including the Coast Guard. This is a new field for area programs.

Y=yes

N=no

U=unknown.

Annotation

Data migration:

For institutions, if the veteran status is 'y' or 'n' move the code to the target field else move 'U' to target field and write the record.

Area programs will be set to an 'U'.

Post migration:

If input field is a blank, move an 'U' to the target field.

Else move input to target.

where_ref_after_triag, column**NEW**

Table Code:	CDW_DICTIONARY		
Name:	where_ref_after_triag		
Code:	where_ref_after_triag		
Label:	MANDATORY		
Domain:			
Type:	char (1)		
Length:	1	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	1

Description

Indicates the type of referral the consumer is referred to by the LME/provider.

E=Enhanced Benefits

B=Basic Benefits

C=Community Supports

R=Crisis Services

S=State Operated Facility

N=No referral

Annotation

will_effective_date, column

Table Code:	CDW_DICTIONARY		
Name:	will_effective_date		
Code:	will_effective_date		
Label:	MANDATORY (Internally Loaded).		
Domain:	Date		
Type:	datetime		
Length:	0	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	0

Description

The date the consumer became a certified Willie M client.

Annotation

Data migration:

Data is not available from the IMS system, will not be migrated.

Post migration:

Ensure date is a valid date.

will_end_date, column

Table Code:	CDW_DICTIONARY		
Name:	will_end_date		
Code:	will_end_date		
Label:	OPTIONAL (Internally Loaded).		
Domain:	Date		
Type:	datetime		
Length:	0	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	0

Description

The date the consumer was no longer a Willie M client due to death, aging out or certified ineligible. Mandatory if Willie M status is > or = to 400.

Annotation

Data migration:

Data is not available from the IMS system, will not be migrated.

Post migration:

Ensure the date is valid.

will_last_updt_date, column

Table Code:	CDW_DICTIONARY		
Name:	will_last_updt_date		
Code:	will_last_updt_date		
Label:	DERIVED (Internally Generated).		
Domain:			
Type:	datetime		
Length:	0	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	0

Description

Last date that this record was updated.

Annotation

Last date that this record was updated.

willv_status, column

Table Code:	CDW_DICTIONARY		
Name:	willv_status		
Code:	willv_status		
Label:	MANDATORY (Internally Loaded).		
Domain:			
Type:	char (3)		
Length:	3	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	3

Description

Status Codes

Code	Status Description
300	Certified Eligible
310	Appropriately Served - Periodic Update
315	Appropriately Served - Formal Review
320	Not Appropriately Served - Periodic Update
325	Not Appropriately Served - Formal Review
331	Not Appropriately Served but Program in Compliance - Periodic Update - Parent/Guardian or Emancipated Minor Refusing Services
332	Not Appropriately Served but Program in Compliance - Periodic Update - Action by Judge
333	Not Appropriately Served but Program in Compliance - Periodic Update Unforeseeable Emergency Conditions
334	Not Appropriately Served but Program in Compliance - Periodic Update Whereabouts Unknown
336	Not Appropriately Served but Program in Compliance - Formal Review - Parent/Guardian or Emancipated Minor Refusing Services
337	Not Appropriately Served but Program in Compliance - Formal Review - Action by Judge
338	Not Appropriately Served but Program in Compliance - Formal Review - Unforeseeable Emergency Conditions
339	Not Appropriately Served but Program in Compliance - Formal Review - Whereabouts Unknown
400	Certified Ineligible
410	Certified Ineligible - Child/Family Living Out of State
420	Certified Ineligible - Child Deceased
430	Certified Ineligible - Child in Adult Corrections Facility
440	Certified Ineligible - Child in Military
500	Certified Extended
600	Aged Out

Annotation

Data migration:

Data is not available from the IMS system, will not be migrated.

Post migration: Database will be populated via SYBASE/ INFOMAKER.

zipcode, column

Table Code:	CDW_DICTIONARY		
Name:	zipcode		
Code:	zipcode		
Label:	MANDATORY		
Domain:			
Type:	char (9)		
Length:	9	Precision:	0
Null Values:	0%	Distinct Values:	100%
		Average Length:	9

Description

Zipcode of the client.

Annotation

Data migration note:

Not converted because it is not available. ' ' s will be used.

Post migration:

Validate against the 'zipcode' table, zipcodes are for North Carolina only. If invalid move 'O's to the target field. If blanks in

the input field move 'U's to target field. If valid move input to target field.

The North Carolina Zipcodes are as follows:

27006 "Advance, NC"
 27007 "Ararat, NC"
 27008 "Barber, NC"
 27009 "Belews Creek, NC"
 27010 "Bethania, NC"
 27011 "Boonville, NC"
 27012 "Clemmons, NC"
 27013 "Cleveland, NC"
 27014 "Cooleemee, NC"
 27016 "Danbury, NC"
 27017 "Dobson, NC"
 27018 "East Bend, NC"
 27019 "Germanton, NC"
 27020 "Hamptonville, NC"
 27021 "King, NC"
 27022 "Lawsonville, NC"
 27023 "Lewisville, NC"
 27024 "Lowgap, NC"
 27025 "Madison, NC"
 27027 "Mayodan, NC"
 27028 "Mocksville, NC"
 27030 "Mount Airy, NC"
 27031 "Mount Airy, NC"
 27040 "Pfafftown, NC"
 27041 "Pilot Mountain, NC"
 27042 "Pine Hall, NC"

27043 "Pinnacle, NC"
27045 "Rural Hall, NC"
27046 "Sandy Ridge, NC"
27047 "Siloam, NC"
27048 "Stoneville, NC"
27049 "Toast, NC"
27050 "Tobaccoville, NC"
27051 "Walkertown, NC"
27052 "Walnut Cove, NC"
27053 "Westfield, NC"
27054 "Woodleaf, NC"
27055 "Yadkinville, NC"
27098 "Rural Hall, NC"
27099 "Rural Hall, NC"
27100 "Winston-Salem, NC"
27101 "Winston-Salem, NC"
27102 "Winston-Salem, NC"
27103 "Winston-Salem, NC"
27104 "Winston-Salem, NC"
27105 "Winston-Salem, NC"
27106 "Winston-Salem, NC"
27107 "Winston-Salem, NC"
27108 "Winston-Salem, NC"
27109 "Winston-Salem, NC"
27110 "Winston-Salem, NC"
27111 "Winston-Salem, NC"
27113 "Winston-Salem, NC"
27114 "Winston-Salem, NC"
27115 "Winston-Salem, NC"
27116 "Winston-Salem, NC"
27117 "Winston-Salem, NC"
27127 "Winston-Salem, NC"
27150 "Winston-Salem, NC"
27151 "Winston-Salem, NC"
27152 "Winston-Salem, NC"
27153 "Winston-Salem, NC"
27154 "Winston-Salem, NC"
27155 "Winston-Salem, NC"
27156 "Winston-Salem, NC"
27198 "Winston-Salem, NC"
27199 "Winston-Salem, NC"
27201 "Alamance, NC"
27202 "Altamahaw, NC"
27203 "Asheboro, NC"
27204 "Asheboro, NC"
27207 "Bear Creek, NC"
27208 "Bennett, NC"
27209 "Biscoe, NC"
27212 "Blanch, NC"
27213 "Bonlee, NC"
27214 "Browns Summit, NC"
27215 "Burlington, NC"
27216 "Burlington, NC"
27217 "Burlington, NC"
27220 "Burlington, NC"

27228 "Pittsboro, NC"
27229 "Candor, NC"
27230 "Cedar Falls, NC"
27231 "Cedar Grove, NC"
27233 "Climax, NC"
27234 "Coleridge, NC"
27235 "Colfax, NC"
27237 "Sanford, NC"
27239 "Denton, NC"
27242 "Eagle Springs, NC"
27243 "Efland, NC"
27244 "Elon College, NC"
27247 "Ether, NC"
27248 "Franklinville, NC"
27249 "Gibsonville, NC"
27251 "Glendon, NC"
27252 "Goldston, NC"
27253 "Graham, NC"
27256 "Gulf, NC"
27258 "Haw River, NC"
27259 "Highfalls, NC"
27260 "High Point, NC"
27261 "High Point, NC"
27262 "High Point, NC"
27263 "High Point, NC"
27264 "High Point, NC"
27278 "Hillsborough, NC"
27281 "Jackson Springs, NC"
27282 "Jamestown, NC"
27283 "Julian, NC"
27284 "Kernersville, NC"
27285 "Kernersville, NC"
27288 "Eden, NC"
27291 "Leasburg, NC"
27292 "Lexington, NC"
27293 "Lexington, NC"
27294 "Lexington, NC"
27298 "Liberty, NC"
27299 "Linwood, NC"
27301 "Mc Leansville, NC"
27302 "Mebane, NC"
27305 "Milton, NC"
27306 "Mount Gilead, NC"
27310 "Oak Ridge, NC"
27311 "Pelham, NC"
27312 "Pittsboro, NC"
27313 "Pleasant Garden, NC"
27314 "Prospect Hill, NC"
27315 "Providence, NC"
27316 "Ramseur, NC"
27317 "Randleman, NC"
27320 "Reidsville, NC"
27321 "Reidsville, NC"
27322 "Reidsville, NC"
27323 "Reidsville, NC"

27325 "Robbins, NC"
27326 "Ruffin, NC"
27330 "Sanford, NC"
27331 "Sanford, NC"
27340 "Saxapahaw, NC"
27341 "Seagrove, NC"
27342 "Sedalia, NC"
27343 "Semora, NC"
27344 "Siler City, NC"
27349 "Snow Camp, NC"
27350 "Sophia, NC"
27351 "Southmont, NC"
27355 "Staley, NC"
27356 "Star, NC"
27357 "Stokesdale, NC"
27358 "Summerfield, NC"
27359 "Swepsonville, NC"
27360 "Thomasville, NC"
27361 "Thomasville, NC"
27370 "Trinity, NC"
27371 "Troy, NC"
27373 "Wallburg, NC"
27374 "Welcome, NC"
27375 "Wentworth, NC"
27376 "West End, NC"
27377 "Whitsett, NC"
27379 "Yanceyville, NC"
27400 "Greensboro, NC"
27401 "Greensboro, NC"
27402 "Greensboro, NC"
27403 "Greensboro, NC"
27404 "Greensboro, NC"
27405 "Greensboro, NC"
27406 "Greensboro, NC"
27407 "Greensboro, NC"
27408 "Greensboro, NC"
27409 "Greensboro, NC"
27410 "Greensboro, NC"
27411 "Greensboro, NC"
27412 "Greensboro, NC"
27415 "Greensboro, NC"
27416 "Greensboro, NC"
27417 "Greensboro, NC"
27419 "Greensboro, NC"
27420 "Greensboro, NC"
27425 "Greensboro, NC"
27427 "Greensboro, NC"
27429 "Greensboro, NC"
27435 "Greensboro, NC"
27438 "Greensboro, NC"
27480 "Greensboro, NC"
27495 "Greensboro, NC"
27498 "Greensboro, NC"
27499 "Greensboro, NC"
27501 "Angier, NC"

27502 "Apex, NC"
27503 "Bahama, NC"
27504 "Benson, NC"
27505 "Broadway, NC"
27506 "Buies Creek, NC"
27507 "Bullock, NC"
27508 "Bunn, NC"
27509 "Butner, NC"
27510 "Carrboro, NC"
27511 "Cary, NC"
27512 "Cary, NC"
27513 "Cary, NC"
27514 "Chapel Hill, NC"
27515 "Chapel Hill, NC"
27516 "Chapel Hill, NC"
27518 "Cary, NC"
27519 "Cary, NC"
27520 "Clayton, NC"
27521 "Coats, NC"
27522 "Creedmoor, NC"
27523 "Eagle Rock, NC"
27524 "Four Oaks, NC"
27525 "Franklinton, NC"
27526 "Fuquay-Varina, NC"
27529 "Garner, NC"
27530 "Goldsboro, NC"
27531 "Goldsboro, NC"
27532 "Goldsboro, NC"
27533 "Goldsboro, NC"
27536 "Henderson, NC"
27540 "Holly Springs, NC"
27541 "Hurdle Mills, NC"
27542 "Kenly, NC"
27543 "Kipling, NC"
27544 "Kittrell, NC"
27545 "Knightdale, NC"
27546 "Lillington, NC"
27549 "Louisburg, NC"
27551 "Macon, NC"
27552 "Mamers, NC"
27553 "Manson, NC"
27555 "Micro, NC"
27556 "Middleburg, NC"
27557 "Middlesex, NC"
27559 "Moncure, NC"
27560 "Morrisville, NC"
27562 "New Hill, NC"
27563 "Norlina, NC"
27564 "Creedmoor, NC"
27565 "Oxford, NC"
27568 "Pine Level, NC"
27569 "Princeton, NC"
27570 "Ridgeway, NC"
27571 "Rolesville, NC"
27572 "Rougemont, NC"

27573 "Roxboro, NC"
27576 "Selma, NC"
27577 "Smithfield, NC"
27581 "Stem, NC"
27582 "Stovall, NC"
27583 "Timberlake, NC"
27584 "Townsville, NC"
27586 "Vaughan, NC"
27587 "Wake Forest, NC"
27589 "Warrenton, NC"
27591 "Wendell, NC"
27592 "Willow Spring, NC"
27593 "Wilsons Mills, NC"
27594 "Wise, NC"
27596 "Youngsville, NC"
27597 "Zebulon, NC"
27599 "Chapel Hill, NC"
27600 "Raleigh, NC"
27601 "Raleigh, NC"
27602 "Raleigh, NC"
27603 "Raleigh, NC"
27604 "Raleigh, NC"
27605 "Raleigh, NC"
27606 "Raleigh, NC"
27607 "Raleigh, NC"
27608 "Raleigh, NC"
27609 "Raleigh, NC"
27610 "Raleigh, NC"
27611 "Raleigh, NC"
27612 "Raleigh, NC"
27613 "Raleigh, NC"
27614 "Raleigh, NC"
27615 "Raleigh, NC"
27619 "Raleigh, NC"
27620 "Raleigh, NC"
27621 "Raleigh, NC"
27622 "Raleigh, NC"
27623 "Raleigh, NC"
27624 "Raleigh, NC"
27625 "Raleigh, NC"
27626 "Raleigh, NC"
27627 "Raleigh, NC"
27628 "Raleigh, NC"
27629 "Raleigh, NC"
27634 "Raleigh, NC"
27635 "Raleigh, NC"
27636 "Raleigh, NC"
27640 "Raleigh, NC"
27650 "Raleigh, NC"
27656 "Raleigh, NC"
27658 "Raleigh, NC"
27661 "Raleigh, NC"
27668 "Raleigh, NC"
27690 "Raleigh, NC"
27695 "Raleigh, NC"

27697 "Raleigh, NC"
27698 "Raleigh, NC"
27699 "Raleigh, NC"
27700 "Durham, NC"
27701 "Durham, NC"
27702 "Durham, NC"
27703 "Durham, NC"
27704 "Durham, NC"
27705 "Durham, NC"
27706 "Durham, NC"
27707 "Durham, NC"
27708 "Durham, NC"
27709 "Durham, NC"
27710 "Durham, NC"
27711 "Durham, NC"
27712 "Durham, NC"
27713 "Durham, NC"
27717 "Durham, NC"
27722 "Durham, NC"
27801 "Rocky Mount, NC"
27802 "Rocky Mount, NC"
27803 "Rocky Mount, NC"
27804 "Rocky Mount, NC"
27805 "Aulander, NC"
27806 "Aurora, NC"
27807 "Bailey, NC"
27808 "Bath, NC"
27809 "Battleboro, NC"
27810 "Belhaven, NC"
27811 "Bellarthur, NC"
27812 "Bethel, NC"
27813 "Black Creek, NC"
27814 "Blounts Creek, NC"
27816 "Castalia, NC"
27817 "Chocowinity, NC"
27818 "Como, NC"
27819 "Conetoe, NC"
27820 "Conway, NC"
27821 "Edward, NC"
27822 "Elm City, NC"
27823 "Enfield, NC"
27824 "Engelhard, NC"
27825 "Everetts, NC"
27826 "Fairfield, NC"
27827 "Falkland, NC"
27828 "Farmville, NC"
27829 "Fountain, NC"
27830 "Fremont, NC"
27831 "Garysburg, NC"
27832 "Gaston, NC"
27834 "Greenville, NC"
27835 "Greenville, NC"
27836 "Greenville, NC"
27837 "Grimesland, NC"
27838 "Gumberry, NC"

27839 "Halifax, NC"
27840 "Hamilton, NC"
27841 "Hassell, NC"
27842 "Henrico, NC"
27843 "Hobgood, NC"
27844 "Hollister, NC"
27845 "Jackson, NC"
27846 "Jamesville, NC"
27847 "Kelford, NC"
27848 "Lasker, NC"
27849 "Lewiston Woodville, NC"
27850 "Littleton, NC"
27851 "Lucama, NC"
27852 "Macclesfield, NC"
27853 "Margaretsville, NC"
27854 "Milwaukee, NC"
27855 "Murfreesboro, NC"
27856 "Nashville, NC"
27857 "Oak City, NC"
27858 "Greenville, NC"
27859 "Palmyra, NC"
27860 "Pantego, NC"
27861 "Parmele, NC"
27862 "Pendleton, NC"
27863 "Pikeville, NC"
27864 "Pinetops, NC"
27865 "Pinetown, NC"
27866 "Pleasant Hill, NC"
27867 "Potecasi, NC"
27868 "Red Oak, NC"
27869 "Rich Square, NC"
27870 "Roanoke Rapids, NC"
27871 "Robersonville, NC"
27872 "Roxobel, NC"
27873 "Saratoga, NC"
27874 "Scotland Neck, NC"
27875 "Scranton, NC"
27876 "Seaboard, NC"
27877 "Severn, NC"
27878 "Sharpsburg, NC"
27879 "Simpson, NC"
27880 "Sims, NC"
27881 "Speed, NC"
27882 "Spring Hope, NC"
27883 "Stantonsburg, NC"
27884 "Stokes, NC"
27885 "Swanquarter, NC"
27886 "Tarboro, NC"
27887 "Tillery, NC"
27888 "Walstonburg, NC"
27889 "Washington, NC"
27890 "Weldon, NC"
27891 "Whitakers, NC"
27892 "Williamston, NC"
27893 "Wilson, NC"

27894 "Wilson, NC"
27895 "Wilson, NC"
27897 "Woodland, NC"
27898 "Elm City, NC"
27906 "Elizabeth City, NC"
27907 "Elizabeth City, NC"
27909 "Elizabeth City, NC"
27910 "Ahoskie, NC"
27915 "Avon, NC"
27916 "Aydlett, NC"
27917 "Barco, NC"
27919 "Belvidere, NC"
27920 "Buxton, NC"
27921 "Camden, NC"
27922 "Cofield, NC"
27923 "Coinjock, NC"
27924 "Colerain, NC"
27925 "Columbia, NC"
27926 "Corapeake, NC"
27927 "Corolla, NC"
27928 "Creswell, NC"
27929 "Currituck, NC"
27930 "Hertford, NC"
27931 "East Lake, NC"
27932 "Edenton, NC"
27935 "Eure, NC"
27936 "Frisco, NC"
27937 "Gates, NC"
27938 "Gatesville, NC"
27939 "Grandy, NC"
27941 "Harbinger, NC"
27942 "Harrellsville, NC"
27943 "Hatteras, NC"
27944 "Hertford, NC"
27946 "Hobbsville, NC"
27947 "Jarvisburg, NC"
27948 "Kill Devil Hills, NC"
27949 "Kitty Hawk, NC"
27950 "Knotts Island, NC"
27953 "Manns Harbor, NC"
27954 "Manteo, NC"
27956 "Maple, NC"
27957 "Merry Hill, NC"
27958 "Moyock, NC"
27959 "Nags Head, NC"
27960 "Ocracoke, NC"
27962 "Plymouth, NC"
27964 "Point Harbor, NC"
27965 "Poplar Branch, NC"
27966 "Powells Point, NC"
27967 "Powellsville, NC"
27968 "Rodanthe, NC"
27969 "Roduco, NC"
27970 "Roper, NC"
27972 "Salvo, NC"

27973 "Shawboro, NC"
27974 "Shiloh, NC"
27976 "South Mills, NC"
27978 "Stumpy Point, NC"
27979 "Sunbury, NC"
27980 "Tyner, NC"
27981 "Wanchese, NC"
27982 "Waves, NC"
27983 "Windsor, NC"
27985 "Winfall, NC"
27986 "Winton, NC"
28001 "Albemarle, NC"
28002 "Albemarle, NC"
28006 "Alexis, NC"
28007 "Ansonville, NC"
28009 "Badin, NC"
28010 "Barium Springs, NC"
28012 "Belmont, NC"
28016 "Bessemer City, NC"
28017 "Boiling Springs, NC"
28018 "Bostic, NC"
28019 "Caroleen, NC"
28020 "Casar, NC"
28021 "Cherryville, NC"
28023 "China Grove, NC"
28024 "Cliffside, NC"
28025 "Concord, NC"
28026 "Concord, NC"
28031 "Cornelius, NC"
28032 "Cramerton, NC"
28033 "Crouse, NC"
28034 "Dallas, NC"
28036 "Davidson, NC"
28037 "Denver, NC"
28038 "Earl, NC"
28039 "East Spencer, NC"
28040 "Ellenboro, NC"
28041 "Faith, NC"
28042 "Fallston, NC"
28043 "Forest City, NC"
28052 "Gastonia, NC"
28053 "Gastonia, NC"
28054 "Gastonia, NC"
28055 "Gastonia, NC"
28071 "Gold Hill, NC"
28072 "Granite Quarry, NC"
28073 "Grover, NC"
28074 "Harris, NC"
28075 "Harrisburg, NC"
28076 "Henrietta, NC"
28077 "High Shoals, NC"
28078 "Huntersville, NC"
28079 "Indian Trail, NC"
28080 "Iron Station, NC"
28081 "Kannapolis, NC"

28082 "Kannapolis, NC"
28086 "Kings Mountain, NC"
28088 "Landis, NC"
28089 "Lattimore, NC"
28090 "Lawndale, NC"
28091 "Lilesville, NC"
28092 "Lincolnton, NC"
28093 "Lincolnton, NC"
28097 "Locust, NC"
28098 "Lowell, NC"
28101 "Mc Adenville, NC"
28102 "Mc Farlan, NC"
28103 "Marshville, NC"
28105 "Matthews, NC"
28106 "Matthews, NC"
28107 "Midland, NC"
28108 "Mineral Springs, NC"
28109 "Misenheimer, NC"
28110 "Monroe, NC"
28114 "Mooresboro, NC"
28115 "Mooresville, NC"
28119 "Morven, NC"
28120 "Mount Holly, NC"
28123 "Mount Mourne, NC"
28124 "Mount Pleasant, NC"
28125 "Mount Ulla, NC"
28126 "Newell, NC"
28127 "New London, NC"
28128 "Norwood, NC"
28129 "Oakboro, NC"
28130 "Paw Creek, NC"
28133 "Peachland, NC"
28134 "Pineville, NC"
28135 "Polkton, NC"
28136 "Polkville, NC"
28137 "Richfield, NC"
28138 "Rockwell, NC"
28139 "Rutherfordton, NC"
28144 "Salisbury, NC"
28145 "Salisbury, NC"
28150 "Shelby, NC"
28151 "Shelby, NC"
28159 "Spencer, NC"
28160 "Spindale, NC"
28163 "Stanfield, NC"
28164 "Stanley, NC"
28166 "Troutman, NC"
28167 "Union Mills, NC"
28168 "Vale, NC"
28169 "Waco, NC"
28170 "Wadesboro, NC"
28173 "Waxhaw, NC"
28174 "Wingate, NC"
28200 "Charlotte, NC"
28201 "Charlotte, NC"

28202 "Charlotte, NC"
28203 "Charlotte, NC"
28204 "Charlotte, NC"
28205 "Charlotte, NC"
28206 "Charlotte, NC"
28207 "Charlotte, NC"
28208 "Charlotte, NC"
28209 "Charlotte, NC"
28210 "Charlotte, NC"
28211 "Charlotte, NC"
28212 "Charlotte, NC"
28213 "Charlotte, NC"
28214 "Charlotte, NC"
28215 "Charlotte, NC"
28216 "Charlotte, NC"
28217 "Charlotte, NC"
28218 "Charlotte, NC"
28219 "Charlotte, NC"
28220 "Charlotte, NC"
28221 "Charlotte, NC"
28222 "Charlotte, NC"
28223 "Charlotte, NC"
28224 "Charlotte, NC"
28225 "North Charlotte, NC"
28226 "Charlotte, NC"
28227 "Charlotte, NC"
28228 "Charlotte, NC"
28229 "Charlotte, NC"
28230 "Charlotte, NC"
28231 "Charlotte, NC"
28232 "Charlotte, NC"
28233 "Charlotte, NC"
28234 "Charlotte, NC"
28235 "Charlotte, NC"
28236 "Charlotte, NC"
28237 "Charlotte, NC"
28241 "Charlotte, NC"
28242 "Charlotte, NC"
28243 "Charlotte, NC"
28244 "Charlotte, NC"
28245 "Charlotte, NC"
28246 "Charlotte, NC"
28247 "Sharon, NC"
28250 "Charlotte, NC"
28253 "Charlotte, NC"
28255 "Charlotte, NC"
28256 "Charlotte, NC"
28257 "Charlotte, NC"
28258 "Charlotte, NC"
28259 "Charlotte, NC"
28260 "Charlotte, NC"
28261 "Charlotte, NC"
28264 "Charlotte, NC"
28265 "Charlotte, NC"
28266 "Charlotte, NC"

28267 "Charlotte, NC"
28272 "Charlotte, NC"
28274 "Charlotte, NC"
28275 "Charlotte, NC"
28276 "Charlotte, NC"
28279 "Charlotte, NC"
28280 "Charlotte, NC"
28281 "Charlotte, NC"
28282 "Charlotte, NC"
28283 "Charlotte, NC"
28284 "Charlotte, NC"
28285 "Charlotte, NC"
28286 "Charlotte, NC"
28287 "Charlotte, NC"
28288 "Charlotte, NC"
28289 "Charlotte, NC"
28290 "Charlotte, NC"
28294 "Charlotte, NC"
28295 "Charlotte, NC"
28296 "Charlotte, NC"
28297 "Charlotte, NC"
28299 "Charlotte, NC"
28301 "Fayetteville, NC"
28302 "Fayetteville, NC"
28303 "Fayetteville, NC"
28304 "Fayetteville, NC"
28305 "Fayetteville, NC"
28306 "Fayetteville, NC"
28307 "Fayetteville, NC"
28308 "Fayetteville, NC"
28309 "Fayetteville, NC"
28311 "Fayetteville, NC"
28314 "Fayetteville, NC"
28315 "Aberdeen, NC"
28318 "Autryville, NC"
28319 "Barnesville, NC"
28320 "Bladenboro, NC"
28323 "Bunnlevel, NC"
28324 "Butters, NC"
28325 "Calypso, NC"
28326 "Cameron, NC"
28327 "Carthage, NC"
28328 "Clinton, NC"
28330 "Cordova, NC"
28331 "Cumberland, NC"
28332 "Dublin, NC"
28333 "Dudley, NC"
28334 "Dunn, NC"
28337 "Elizabethtown, NC"
28338 "Ellerbe, NC"
28339 "Erwin, NC"
28340 "Fairmont, NC"
28341 "Faison, NC"
28342 "Falcon, NC"
28343 "Gibson, NC"

28344 "Godwin, NC"
28345 "Hamlet, NC"
28347 "Hoffman, NC"
28348 "Hope Mills, NC"
28349 "Kenansville, NC"
28350 "Lakeview, NC"
28351 "Laurel Hill, NC"
28352 "Laurinburg, NC"
28355 "Lemon Springs, NC"
28356 "Linden, NC"
28357 "Lumber Bridge, NC"
28358 "Lumberton, NC"
28359 "Lumberton, NC"
28361 "Raeford, NC"
28362 "Marietta, NC"
28363 "Marston, NC"
28364 "Maxton, NC"
28365 "Mount Olive, NC"
28366 "Newton Grove, NC"
28367 "Norman, NC"
28368 "Olivia, NC"
28369 "Orrum, NC"
28371 "Parkton, NC"
28372 "Pembroke, NC"
28373 "Pinebluff, NC"
28374 "Pinehurst, NC"
28375 "Proctorville, NC"
28376 "Raeford, NC"
28377 "Red Springs, NC"
28378 "Rex, NC"
28379 "Rockingham, NC"
28382 "Roseboro, NC"
28383 "Rowland, NC"
28384 "Saint Pauls, NC"
28385 "Salemberg, NC"
28386 "Shannon, NC"
28387 "Southern Pines, NC"
28390 "Spring Lake, NC"
28391 "Stedman, NC"
28392 "Tar Heel, NC"
28393 "Turkey, NC"
28394 "Vass, NC"
28395 "Wade, NC"
28396 "Wagram, NC"
28397 "Wakulla, NC"
28398 "Warsaw, NC"
28399 "White Oak, NC"
28401 "Wilmington, NC"
28402 "Wilmington, NC"
28403 "Wilmington, NC"
28404 "Wilmington, NC"
28405 "Wilmington, NC"
28406 "Wilmington, NC"
28407 "Wilmington, NC"
28409 "Wilmington, NC"

28412 "Wilmington, NC"
28420 "Ash, NC"
28421 "Atkinson, NC"
28422 "Bolivia, NC"
28423 "Bolton, NC"
28424 "Brunswick, NC"
28425 "Burgaw, NC"
28428 "Carolina Beach, NC"
28429 "Castle Hayne, NC"
28430 "Cerro Gordo, NC"
28431 "Chadbourn, NC"
28432 "Clarendon, NC"
28433 "Clarkton, NC"
28434 "Council, NC"
28435 "Currie, NC"
28436 "Delco, NC"
28438 "Evergreen, NC"
28439 "Fair Bluff, NC"
28441 "Garland, NC"
28442 "Hallsboro, NC"
28443 "Hampstead, NC"
28444 "Harrells, NC"
28445 "Holly Ridge, NC"
28446 "Ingold, NC"
28447 "Ivanhoe, NC"
28448 "Kelly, NC"
28449 "Kure Beach, NC"
28450 "Lake Waccamaw, NC"
28451 "Leland, NC"
28452 "Longwood, NC"
28453 "Magnolia, NC"
28454 "Maple Hill, NC"
28455 "Nakina, NC"
28456 "Riegelwood, NC"
28457 "Rocky Point, NC"
28458 "Rose Hill, NC"
28459 "Shallotte, NC"
28460 "Sneads Ferry, NC"
28461 "Southport, NC"
28462 "Supply, NC"
28463 "Tabor City, NC"
28464 "Teachey, NC"
28465 "Southport, NC"
28466 "Wallace, NC"
28467 "Shallotte, NC"
28468 "Shallotte, NC"
28469 "Shallotte, NC"
28470 "Shallotte, NC"
28471 "Watha, NC"
28472 "Whiteville, NC"
28478 "Willard, NC"
28479 "Winnabow, NC"
28480 "Wrightsville Beach, NC"
28501 "Kinston, NC"
28502 "Kinston, NC"

28503 "Kinston, NC"
28508 "Albertson, NC"
28509 "Alliance, NC"
28510 "Arapahoe, NC"
28511 "Atlantic, NC"
28512 "Atlantic Beach, NC"
28513 "Ayden, NC"
28515 "Bayboro, NC"
28516 "Beaufort, NC"
28518 "Beulaville, NC"
28519 "Bridgeton, NC"
28520 "Cedar Island, NC"
28521 "Chinquapin, NC"
28522 "Comfort, NC"
28523 "Cove City, NC"
28524 "Davis, NC"
28525 "Deep Run, NC"
28526 "Dover, NC"
28527 "Ernul, NC"
28528 "Gloucester, NC"
28529 "Grantsboro, NC"
28530 "Grifton, NC"
28531 "Harkers Island, NC"
28532 "Havelock, NC"
28533 "Havelock, NC"
28537 "Hobucken, NC"
28538 "Hookerton, NC"
28539 "Hubert, NC"
28540 "Jacksonville, NC"
28541 "Jacksonville, NC"
28542 "Camp Lejeune, NC"
28543 "Tarawa Terrace, NC"
28544 "Jacksonville, NC"
28545 "Jacksonville, NC"
28546 "Jacksonville, NC"
28551 "La Grange, NC"
28552 "Lowland, NC"
28553 "Marshallberg, NC"
28554 "Maury, NC"
28555 "Maysville, NC"
28556 "Merritt, NC"
28557 "Morehead City, NC"
28560 "New Bern, NC"
28561 "New Bern, NC"
28562 "New Bern, NC"
28570 "Newport, NC"
28571 "Oriental, NC"
28572 "Pink Hill, NC"
28573 "Pollocksville, NC"
28574 "Richlands, NC"
28575 "Salter Path, NC"
28577 "Sealevel, NC"
28578 "Seven Springs, NC"
28579 "Smyrna, NC"
28580 "Snow Hill, NC"

28581 "Sealevel, NC"
28582 "Stella, NC"
28583 "Stonewall, NC"
28584 "Swansboro, NC"
28585 "Trenton, NC"
28586 "Vanceboro, NC"
28587 "Vandemere, NC"
28589 "Williston, NC"
28590 "Winterville, NC"
28594 "Emerald Isle, NC"
28601 "Hickory, NC"
28602 "Hickory, NC"
28603 "Hickory, NC"
28604 "Banner Elk, NC"
28605 "Blowing Rock, NC"
28606 "Boomer, NC"
28607 "Boone, NC"
28608 "Boone, NC"
28609 "Catawba, NC"
28610 "Claremont, NC"
28611 "Collettsville, NC"
28612 "Connellys Springs, NC"
28613 "Conover, NC"
28614 "Cranberry, NC"
28615 "Creston, NC"
28616 "Crossnore, NC"
28617 "Crumpler, NC"
28618 "Deep Gap, NC"
28619 "Drexel, NC"
28621 "Elkin, NC"
28622 "Elk Park, NC"
28623 "Ennice, NC"
28624 "Ferguson, NC"
28626 "Fleetwood, NC"
28627 "Glade Valley, NC"
28628 "Glen Alpine, NC"
28629 "Glendale Springs, NC"
28630 "Granite Falls, NC"
28631 "Grassy Creek, NC"
28632 "Grayson, NC"
28633 "Lenoir, NC"
28634 "Harmony, NC"
28635 "Hays, NC"
28636 "Hiddenite, NC"
28637 "Hildebran, NC"
28638 "Hudson, NC"
28639 "Husk, NC"
28640 "Jefferson, NC"
28641 "Jonas Ridge, NC"
28642 "Jonesville, NC"
28643 "Lansing, NC"
28644 "Laurel Springs, NC"
28645 "Lenoir, NC"
28646 "Linville, NC"
28647 "Linville Falls, NC"

28648 "Longisland, NC"
28649 "Mc Grady, NC"
28650 "Maiden, NC"
28651 "Millers Creek, NC"
28652 "Minneapolis, NC"
28653 "Montezuma, NC"
28654 "Moravian Falls, NC"
28655 "Morganton, NC"
28656 "North Wilkesboro, NC"
28657 "Newland, NC"
28658 "Newton, NC"
28659 "North Wilkesboro, NC"
28660 "Olin, NC"
28661 "Patterson, NC"
28662 "Pineola, NC"
28663 "Piney Creek, NC"
28664 "Plumtree, NC"
28665 "Purlear, NC"
28666 "Icard, NC"
28667 "Rhodhiss, NC"
28668 "Roaring Gap, NC"
28669 "Roaring River, NC"
28670 "Ronda, NC"
28671 "Rutherford College, NC"
28672 "Scottville, NC"
28673 "Sherrills Ford, NC"
28674 "North Wilkesboro, NC"
28675 "Sparta, NC"
28676 "State Road, NC"
28677 "Statesville, NC"
28678 "Stony Point, NC"
28679 "Sugar Grove, NC"
28681 "Taylorsville, NC"
28682 "Terrell, NC"
28683 "Thurmond, NC"
28684 "Todd, NC"
28685 "Traphill, NC"
28686 "Triplett, NC"
28688 "Turnersburg, NC"
28689 "Union Grove, NC"
28690 "Valdese, NC"
28691 "Banner Elk, NC"
28692 "Vilas, NC"
28693 "Warrensville, NC"
28694 "West Jefferson, NC"
28695 "Whitehead, NC"
28696 "Wilbar, NC"
28697 "Wilkesboro, NC"
28698 "Zionville, NC"
28699 "Scotts, NC"
28701 "Alexander, NC"
28702 "Almond, NC"
28703 "Aquone, NC"
28704 "Arden, NC"
28705 "Bakersville, NC"

28706 "Balfour, NC"
28707 "Balsam, NC"
28708 "Balsam Grove, NC"
28709 "Barnardsville, NC"
28710 "Bat Cave, NC"
28711 "Black Mountain, NC"
28712 "Brevard, NC"
28713 "Bryson City, NC"
28714 "Burnsville, NC"
28715 "Candler, NC"
28716 "Canton, NC"
28717 "Cashiers, NC"
28718 "Cedar Mountain, NC"
28719 "Cherokee, NC"
28720 "Chimney Rock, NC"
28721 "Clyde, NC"
28722 "Columbus, NC"
28723 "Cullowhee, NC"
28724 "Dana, NC"
28725 "Dillsboro, NC"
28726 "East Flat Rock, NC"
28727 "Edneyville, NC"
28728 "Enka, NC"
28729 "Etowah, NC"
28730 "Fairview, NC"
28731 "Flat Rock, NC"
28732 "Fletcher, NC"
28733 "Fontana Dam, NC"
28734 "Franklin, NC"
28735 "Gerton, NC"
28736 "Glenville, NC"
28737 "Glenwood, NC"
28738 "Hazelwood, NC"
28739 "Hendersonville, NC"
28740 "Greenmountain, NC"
28741 "Highlands, NC"
28742 "Horse Shoe, NC"
28743 "Hot Springs, NC"
28745 "Lake Junaluska, NC"
28746 "Lake Lure, NC"
28747 "Lake Toxaway, NC"
28748 "Leicester, NC"
28749 "Little Switzerland, NC"
28750 "Lynn, NC"
28751 "Maggie Valley, NC"
28752 "Marion, NC"
28753 "Marshall, NC"
28754 "Mars Hill, NC"
28755 "Micaville, NC"
28756 "Mill Spring, NC"
28757 "Montreat, NC"
28758 "Mountain Home, NC"
28760 "Naples, NC"
28761 "Nebo, NC"
28762 "Old Fort, NC"

28763 "Otto, NC"
28765 "Penland, NC"
28766 "Penrose, NC"
28768 "Pisgah Forest, NC"
28770 "Ridgecrest, NC"
28771 "Robbinsville, NC"
28772 "Rosman, NC"
28773 "Saluda, NC"
28774 "Sapphire, NC"
28775 "Scaly Mountain, NC"
28776 "Skyland, NC"
28777 "Spruce Pine, NC"
28778 "Swannanoa, NC"
28779 "Sylva, NC"
28780 "Tapoco, NC"
28781 "Topton, NC"
28782 "Tryon, NC"
28783 "Tuckasegee, NC"
28784 "Tuxedo, NC"
28786 "Waynesville, NC"
28787 "Weaverville, NC"
28788 "Webster, NC"
28789 "Whittier, NC"
28790 "Zirconia, NC"
28791 "Hendersonville, NC"
28793 "Hendersonville, NC"
28800 "Asheville, NC"
28801 "Asheville, NC"
28802 "Asheville, NC"
28803 "Asheville, NC"
28804 "Asheville, NC"
28805 "Asheville, NC"
28806 "Asheville, NC"
28807 "Asheville, NC"
28810 "Asheville, NC"
28812 "Asheville, NC"
28813 "Asheville, NC"
28814 "Asheville, NC"
28815 "Asheville, NC"
28816 "Asheville, NC"
28901 "Andrews, NC"
28902 "Brasstown, NC"
28903 "Culberson, NC"
28904 "Hayesville, NC"
28905 "Marble, NC"
28906 "Murphy, NC"
28909 "Warne, NC"

